



## Safety Data Sheet

Copyright, 2012, Meguiar's, Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising Meguiar's, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

<b>Document group:</b>	28-3792-0	<b>Version number:</b>	2.01
<b>Revision date:</b>	07/07/2012	<b>Supersedes date:</b>	12/07/2011
<b>Transportation version number:</b>	1.00 (20/07/2010)		

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

D130, Detailer Body Solvent (DX-69A): D13001, D13005

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Identified uses

Automotive.

#### 1.3. Details of the supplier of the substance or mixture

**Address:** Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UF  
**Telephone:** +44 (0)870 241 6696  
**E Mail:** info@meguiars.co.uk  
**Website:** www.meguiars.co.uk

#### 1.4. Emergency telephone number

+44 (0)870 241 6696

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

**Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive**

**Indication of danger**

Harmful.

#### 2.2. Label elements

**Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive**

**Symbols**

Xn Harmful.

**Contains:**

**D130, Detailer Body Solvent (DX-69A): D13001, D13005**

Distillates (petroleum), hydrotreated light; Naphtha (petroleum), hydrotreated heavy

**Risk phrases**

R65 Harmful: May cause lung damage if swallowed.  
R67 Vapours may cause drowsiness and dizziness.  
R66 Repeated exposure may cause skin dryness or cracking.

**Safety phrases**

S51 Use only in well ventilated areas.  
S23C Do not breathe vapour or spray.  
S24 Avoid contact with skin.  
S62 If swallowed, do not induce vomiting: Seek medical advice immediately and show this container or label.

**Notes on labelling**

Updated per Regulation (EC) 648/2004 on detergents.

Nota P applied to CASRN 64742-48-9.

**2.3. Other hazards**

None known.

**SECTION 3: Composition/information on ingredients**

Ingredient	CAS Nbr	EU Inventory	% by Wt	Classification
Naphtha (petroleum), hydrotreated heavy	64742-48-9	EINECS 265-150-3	30 - 60	Xn:R65 - Nota 4,P (EU) R66; R67 (Self Classified)  Asp. Tox. 1, H304 - Nota P (CLP) STOT SE 3, H336; EUH066 (Self Classified)
Distillates (petroleum), hydrotreated light	64742-47-8	EINECS 265-149-8	30 - 60	Xn:R65 - Nota 4 (EU) R10; R66; R67 (Self Classified)  Asp. Tox. 1, H304 (CLP) Flam. Liq. 3, H226; STOT SE 3, H336; EUH066 (Self Classified)

Please see section 16 for the full text of any R phrases and H statements referred to in this section

Please refer to section 15 for the any applicable Notas that have been applied to the above components

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

**SECTION 4: First aid measures****4.1. Description of first aid measures****Eye contact**

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

**Skin contact**

Wash with soap and water. If signs/symptoms develop, get medical attention.

**Inhalation**

Remove person to fresh air. If you feel unwell, get medical attention.

**If swallowed**

Do not induce vomiting. Get immediate medical attention.

**4.2. Most important symptoms and effects, both acute and delayed**

See Section 11.1 Information on toxicological effects

**4.3. Indication of any immediate medical attention and special treatment required**

Not applicable

**SECTION 5: Fire-fighting measures**

**5.1. Extinguishing media**

In case of fire: Use a fire fighting agent suitable for flammable liquids or gases such as dry chemical or carbon dioxide.

**5.2. Special hazards arising from the substance or mixture**

Closed containers exposed to heat from fire may build pressure and explode.

**Hazardous Decomposition or By-Products**

**Substance**

Carbon monoxide.  
Carbon dioxide.  
Irritant vapours or gases.

**Condition**

During combustion.  
During combustion.  
During combustion.

**5.3. Advice for fire-fighters**

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture.

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Warning: A motor could be an ignition source and could cause flammable gases or vapours in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

**6.2. Environmental precautions**

For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water. Avoid release to the environment.

**6.3. Methods and material for containment and cleaning up**

Contain spill. Collect as much of the spilled material as possible using non-sparking tools. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a toxic, corrosivity or flammability hazard. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Seal the container. Dispose of collected material as soon as possible.

**6.4. Reference to other sections**

Refer to Section 8 and Section 13 for more information

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

For industrial or professional use only. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Vapours may travel long distances along the ground or floor to an ignition source and flash back.

### 7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store away from acids. Store away from oxidising agents.

### 7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
Naphtha (petroleum), hydrotreated heavy	64742-48-9	Manufacturer determined	TWA:100 ppm	

Health and Safety Comm. (UK) : UK Health and Safety Commission  
TWA: Time-Weighted-Average  
STEL: Short Term Exposure Limit  
ppm: parts per million  
mg/m<sup>3</sup>: milligrams per cubic metre  
CELL: Ceiling

### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

#### 8.2.2. Personal protective equipment (PPE)

##### Eye/face protection

Wear eye/face protection.

The following eye protection(s) are recommended: Safety glasses with side shields.

##### Skin/hand protection

Gloves made from the following material(s) are recommended: Nitrile rubber.

##### Respiratory protection

Wear respiratory protection if ventilation is inadequate to prevent overexposure.

Select one of the following approved respirators based on airborne concentration of contaminants and in accordance with regulations:

Half facepiece or fullface air-purifying respirator with organic vapour cartridges and P2 particulate prefilters.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Appearance/Odour	Sweet odour; Clear, oily liquid
pH	<i>Not applicable.</i>
Boiling point/boiling range	198.9 °C
Melting point	<i>Not applicable.</i>
Flammability (solid, gas)	Flammable Liquid: Category 4.
Explosive properties	Not classified
Oxidising properties	Not classified
Flash point	82.2 °C [ <i>Test Method:</i> Closed Cup]
Autoignition temperature	<i>No data available.</i>
Flammable Limits(LEL)	<i>No data available.</i>
Flammable Limits(UEL)	<i>No data available.</i>
Vapour pressure	<i>No data available.</i>
Relative density	0.78 [ <i>Ref Std:</i> WATER=1]
Water solubility	Nil
Partition coefficient: n-octanol/water	<i>No data available.</i>
Evaporation rate	<i>No data available.</i>
Vapour density	<i>No data available.</i>
Viscosity	<i>No data available.</i>
Density	0.78 g/cm <sup>3</sup>

### 9.2. Other information

Volatile organic compounds (VOC)	40.0 % weight
VOC less H <sub>2</sub> O & exempt solvents	780 g/l

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

### 10.2 Chemical stability

Stable.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

### 10.4 Conditions to avoid

Heat.  
Sparks and/or flames.

### 10.5 Incompatible materials

Strong oxidising agents.  
Strong acids.

### 10.6 Hazardous decomposition products

**Substance**

None known.

**Condition**

**SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

**11.1 Information on Toxicological effects**

**Signs and Symptoms of Exposure**

Based on test data and/or information on the components, this material may produce the following health effects:

**Eye contact**

Contact with the eyes during product use is not expected to result in significant irritation.

**Skin contact**

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness.

**Inhalation**

Intentional concentration and inhalation may be harmful or fatal. Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. May cause target organ effects after inhalation.

**Ingestion**

Chemical (aspiration) pneumonitis: Signs/symptoms may include coughing, gasping, choking, burning of the mouth, difficulty breathing, bluish coloured skin (cyanosis), and may be fatal. Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause target organ effects after ingestion.

**Target Organ Effects:**

Central nervous system (CNS) depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

**Toxicological Data**

**Acute Toxicity**

Name	Route	Species	Value
Overall product	Ingestion		No test data available; calculated ATE >5,000 mg/kg
Distillates (petroleum), hydrotreated light	Dermal	Rabbit	LD50 > 3,160 mg/kg
Distillates (petroleum), hydrotreated light	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 3.0 mg/l
Distillates (petroleum), hydrotreated light	Ingestion	Rat	LD50 > 5,000 mg/kg
Naphtha (petroleum), hydrotreated heavy	Dermal	Rabbit	LD50 > 3,000 mg/kg
Naphtha (petroleum), hydrotreated heavy	Inhalation-Vapor (4 hours)	Rat	LC50 estimated to be 20 - 50 mg/l
Naphtha (petroleum), hydrotreated heavy	Ingestion	Rat	LD50 > 5,000 mg/kg

ATE = acute toxicity estimate

**D130, Detailer Body Solvent (DX-69A): D13001, D13005****Skin Corrosion/Irritation**

Name	Species	Value
Distillates (petroleum), hydrotreated light		Mild irritant
Naphtha (petroleum), hydrotreated heavy		Mild irritant

**Serious Eye Damage/Irritation**

Name	Species	Value
Distillates (petroleum), hydrotreated light		Mild irritant
Naphtha (petroleum), hydrotreated heavy		Mild irritant

**Skin Sensitisation**

Name	Species	Value
Distillates (petroleum), hydrotreated light		Not sensitizing
Naphtha (petroleum), hydrotreated heavy		Not sensitizing

**Respiratory Sensitisation**

Name	Species	Value
Distillates (petroleum), hydrotreated light		No data available
Naphtha (petroleum), hydrotreated heavy		No data available

**Germ Cell Mutagenicity**

Name	Route	Value
Distillates (petroleum), hydrotreated light	In Vitro	Not mutagenic
Naphtha (petroleum), hydrotreated heavy	Inhalation	Not mutagenic
Naphtha (petroleum), hydrotreated heavy	In Vitro	Some positive data exist, but the data are not sufficient for classification

**Carcinogenicity**

Name	Route	Species	Value
Distillates (petroleum), hydrotreated light	Dermal		Some positive data exist, but the data are not sufficient for classification
Naphtha (petroleum), hydrotreated heavy	Dermal		Some positive data exist, but the data are not sufficient for classification
Naphtha (petroleum), hydrotreated heavy	Inhalation		Some positive data exist, but the data are not sufficient for classification

**Reproductive Toxicity****Reproductive and/or Developmental Effects**

Name	Route	Value	Species	Test result	Exposure Duration
Distillates (petroleum), hydrotreated light	Inhalation	Not toxic to reproduction and/or development		NOAEL 364 ppm	
Naphtha (petroleum), hydrotreated heavy	Inhalation	Not toxic to reproduction and/or development		NOAEL 2.356 mg/l	

**Target Organ(s)****Specific Target Organ Toxicity - single exposure**

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Distillates (petroleum), hydrotreated light	Inhalation	central nervous system depression	May cause drowsiness or dizziness		NOAEL N/A	
Distillates	Inhalation	respiratory	Some positive		Irritation	

**D130, Detailer Body Solvent (DX-69A): D13001, D13005**

(petroleum), hydrotreated light		irritation	data exist, but the data are not sufficient for classification		Positive	
Naphtha (petroleum), hydrotreated heavy	Inhalation	central nervous system depression	May cause drowsiness or dizziness		NOAEL N/A	
Naphtha (petroleum), hydrotreated heavy	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		Irritation Positive	
Naphtha (petroleum), hydrotreated heavy	Inhalation	nervous system	Some positive data exist, but the data are not sufficient for classification		NOEL 6.5 mg/l	
Naphtha (petroleum), hydrotreated heavy	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification		NOEL 2.4 mg/l	
Naphtha (petroleum), hydrotreated heavy	Inhalation	heart	All data are negative		NOAEL 2.5 mg/l	
Naphtha (petroleum), hydrotreated heavy	Inhalation	liver	All data are negative		NOAEL 0.610 mg/l	
Naphtha (petroleum), hydrotreated heavy	Inhalation	muscles	All data are negative		NOAEL 0.61 mg/l	
Naphtha (petroleum), hydrotreated heavy	Inhalation	kidney and/or bladder	All data are negative		NOAEL 0.610 mg/l	

**Specific Target Organ Toxicity - repeated exposure**

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Distillates (petroleum), hydrotreated light	Dermal	bone, teeth, nails, and/or hair	Some positive data exist, but the data are not sufficient for classification		NOEL N/A	
Distillates (petroleum), hydrotreated light	Dermal	liver	Some positive data exist, but the data are not sufficient for classification		NOEL 1,000 mg/kg/day	
Distillates (petroleum), hydrotreated light	Inhalation	hematopoietic system	All data are negative		NOAEL 0.1 mg/l	
Distillates (petroleum), hydrotreated light	Ingestion	liver	Some positive data exist, but the data are not sufficient for		NOEL 100 mg/kg/day	



**D130, Detailer Body Solvent (DX-69A): D13001, D13005**

			classification			
Distillates (petroleum), hydrotreated light	Ingestion	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification		LOAEL 100 mg/kg	
Naphtha (petroleum), hydrotreated heavy	Dermal	nervous system	Some positive data exist, but the data are not sufficient for classification		LOEL 691 mg/kg	
Naphtha (petroleum), hydrotreated heavy	Inhalation	endocrine system   muscles	Some positive data exist, but the data are not sufficient for classification		LOEL 0.616 mg/l	
Naphtha (petroleum), hydrotreated heavy	Inhalation	nervous system	Some positive data exist, but the data are not sufficient for classification		LOEL 4.580 mg/l	
Naphtha (petroleum), hydrotreated heavy	Inhalation	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification		LOEL 0.57 mg/l	
Naphtha (petroleum), hydrotreated heavy	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification		NOEL 0.619 mg/l	
Naphtha (petroleum), hydrotreated heavy	Inhalation	heart	All data are negative		NOAEL 1.271 mg/l	
Naphtha (petroleum), hydrotreated heavy	Inhalation	bone, teeth, nails, and/or hair   blood   liver	All data are negative		NOAEL 5.62 mg/l	
Naphtha (petroleum), hydrotreated heavy	Inhalation	immune system	All data are negative		NOAEL 0.616 mg/l	

**Aspiration Hazard**

Name	Value
Distillates (petroleum), hydrotreated light	Aspiration hazard
Naphtha (petroleum), hydrotreated heavy	Aspiration hazard

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

**SECTION 12: Ecological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

## D130, Detailer Body Solvent (DX-69A): D13001, D13005

### 12.1. Toxicity

#### Acute aquatic hazard:

Not acutely toxic to aquatic life by GHS criteria.

#### Chronic aquatic hazard:

Not chronically toxic to aquatic life by GHS criteria.

No product test data available.

No component test data available.

### 12.2. Persistence and degradability

No test data available.

### 12.3 : Bioaccumulative potential

No test data available.

### 12.4. Mobility in soil

Please contact manufacturer for more details

### 12.5. Results of the PBT and vPvB assessment

No information available at this time, contact manufacturer for more details

### 12.6. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations

Incinerate in a permitted waste incineration facility. As a disposal alternative, Dispose of waste product in a permitted industrial waste facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

#### EU waste code (product as sold)

160199	Wastes not otherwise specified
20 01 13*	Solvents

## SECTION 14: Transportation information

ADR: Not restricted for transport.

IMDG: Not restricted for transport.

IATA: Not restricted for transport.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Global inventory status

Contact manufacturer for more information. The components of this material are in compliance with the provisions of the Korean Toxic Chemical Control Law. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Japan Chemical Substance Control Law. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. The components of this product are in compliance with the chemical notification requirements of TSCA.

#### List of ingredients according to Annex VII D of the regulation on detergents 648/2004/EC

The following ingredient information is provided pre Regulation EC No. 648/2004 on Detergents:

Hydrotreated light petroleum distillates  
C10-12 Alkane/cycloalkane  
Perfumes

### 15.2. Chemical Safety Assessment

Not applicable

## SECTION 16: Other information

### List of relevant H statements

EUH066	Repeated exposure may cause skin dryness or cracking.
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.

### List of relevant R-phrases

R10	Flammable.
R65	Harmful: May cause lung damage if swallowed.
R66	Repeated exposure may cause skin dryness or cracking.
R67	Vapours may cause drowsiness and dizziness.

### Revision information:

Revision Changes:

Risk phrase was modified.

Safety phrase was modified.

Section 9: pH information was modified.

Section 2: Symbol was modified.

Section 9: Evaporation Rate information was modified.

Section 9: Viscosity information was modified.

Section 16: List of relevant R phrase information was modified.

Section 3: Composition/ Information of ingredients table was modified.

Section 9: n-octanol/water coefficient information was modified.

Section 9: Boiling point information was modified.

Section 9: Relative density information was modified.

Section 9: Solubility in water text was modified.

Section 13: EU waste code (product as sold) information was modified.

Section 9: Flammability (solid, gas) information was modified.

Section 2: Label remarks was modified.  
Section 16: Regulations – Inventories – EU ONLY was modified.  
Copyright was modified.  
Section 9: Flash point information was modified.  
Section 9: Melting point information was modified.  
Section 9: Flammable limits (LEL) information was modified.  
Section 9: Flammable limits (UEL) information was modified.  
Section 9: Vapour density value was modified.  
Section 9: Vapour pressure value was modified.  
Section 9: Density information was modified.  
Section 9: Property description for optional properties was modified.  
Aspiration Hazard Table was modified.  
Section 11: Acute Toxicity table was modified.  
Carcinogenicity Table was modified.  
Serious Eye Damage/Irritation Table was modified.  
Germ Cell Mutagenicity Table was modified.  
Skin Sensitisation Table was modified.  
Respiratory Sensitisation Table was modified.  
Reproductive Toxicity Table was modified.  
Skin Corrosion/Irritation Table was modified.  
Target Organs - Repeated Table was modified.  
Target Organs - Single Table was modified.  
Section 11: Health Effects - Skin information was modified.  
Section 11: Health Effects - Inhalation information was modified.  
Section 11: Health Effects - Ingestion information was modified.  
Section 5: Hazardous combustion products table was modified.  
Section 6: Accidental release personal information was modified.  
Section 6: Accidental release environmental information was modified.  
Section 6: Accidental release clean-up information was modified.  
Section 7: Precautions safe handling information was modified.  
Section 7: Conditions safe storage was modified.  
Section 8: Personal Protection - Eye information was modified.  
Section 10: Hazardous decomposition or by-products table was modified.  
Section 13: Standard Phrase Category Waste GHS was modified.  
Section 4: First aid for ingestion (swallowing) information was modified.  
Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. was modified.  
Section 12: Acute aquatic hazard information was added.  
Section 12: Chronic aquatic hazard heading was added.  
Section 12: Acute aquatic hazard heading was added.  
Section 12: Chronic aquatic hazard information was added.  
Section 8: OEL table agency column heading was added.  
Section 8: OEL table limit type column heading was added.  
OEL Ceiling Heading was added.  
Section 8: Occupational exposure limit table was added.  
Section 8: OEL table Ingredient column heading was added.  
Section 8: OEL table Additional Comments column heading was added.  
OEL Reg Agency Desc was added.  
Section 8: TWA key was added.  
Section 8: STEL key was added.  
Section 8: mg/m<sup>3</sup> key was added.  
Section 8: ppm key was added.  
Section 8: OEL table CAS No Column heading was added.  
Section 8: Personal Protection - Respiratory Information was added.  
Section 9: Autoignition temperature information was added.  
Section 8: Occupational exposure limit table was deleted.

**D130, Detailer Body Solvent (DX-69A): D13001, D13005**

Section 11: UN GHS Classification table heading was deleted.

Section 8: Personal Protection - Skin/hand information was deleted.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

**Meguiar's, Inc. United Kingdom MSDSs are available at [www.meguiars.co.uk](http://www.meguiars.co.uk)**