



## Safety Data Sheet

Copyright, 2013, Meguiar's, Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising Meguiar's, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

<b>Document group:</b>	26-6638-6	<b>Version number:</b>	2.00
<b>Revision date:</b>	24/07/2013	<b>Supersedes date:</b>	28/03/2012
<b>Transportation version number:</b>	1.00 (29/09/2010)		

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

M26, Hi-Tech Yellow Liquid Wax (22-129A): M2616, M2601

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Identified uses

Automotive.

#### 1.3. Details of the supplier of the substance or mixture

**Address:** Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UF  
**Telephone:** +44 (0)870 241 6696  
**E Mail:** info@meguiars.co.uk  
**Website:** www.meguiars.co.uk

#### 1.4. Emergency telephone number

+44 (0)870 241 6696

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

**Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive**

**Indication of danger**

R67

For full text of R phrases, see Section 16.

#### 2.2. Label elements

**Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive**

**Symbol(s)**

**M26, Hi-Tech Yellow Liquid Wax (22-129A): M2616, M2601**

None.

**Contains:**

No ingredients are assigned to the label.

**Risk phrases**

R67 Vapours may cause drowsiness and dizziness.

**Safety phrases**

S23A Do not breathe vapour.  
 S24 Avoid contact with skin.  
 S62 If swallowed, do not induce vomiting: Seek medical advice immediately and show this container or label.  
 S2 Keep out of the reach of children.

**Notes on labelling**

R65 is not required on the label due to the product's viscosity.

Nota P applied for CASRN 8052-41-3. Nota N applied for CASRN 64742-46-7.

**2.3. Other hazards**

None known.

**SECTION 3: Composition/information on ingredients**

Ingredient	CAS Nbr	EU Inventory	% by Wt	Classification
Non-hazardous ingredients	Mixture		40 - 60	
Solvent naphtha (petroleum), medium aliphatic	64742-88-7	EINECS 265-191-7	10 - 30	Xn:R65 - Nota 4 (EU) Xi:R38; R10; R67 (Self Classified)  Asp. Tox. 1, H304 (CLP) Flam. Liq. 3, H226; Skin Irrit. 2, H315; STOT SE 3, H336 (Self Classified)
Distillates (petroleum), hydrotreated light	64742-47-8	EINECS 265-149-8	3 - 7	Xn:R65 - Nota 4 (EU) R10; R66; R67 (Self Classified)  Asp. Tox. 1, H304 (CLP) Flam. Liq. 3, H226; STOT SE 3, H336; EUH066 (Self Classified)
Conditioners	Trade Secret		< 5	
Siloxanes and silicones, di-Me	63148-62-9		1 - 5	
Ceramic materials and wares, chemicals	66402-68-4	EINECS 266-340-9	1 - 5	
Distillates (petroleum), hydrotreated middle	64742-46-7	EINECS 265-148-2	1 - 5	Nota N (EU) Xn:R20-65; R52/53; R66 (Self Classified)  Nota N (CLP) Acute Tox. 4, H332; Asp. Tox. 1, H304; STOT SE 3, H336; EUH066 (Self Classified)

**M26, Hi-Tech Yellow Liquid Wax (22-129A): M2616, M2601**

Synthetic hydrocarbon mixture	Trade Secret		0.5 - 1.5	
Stoddard solvent	8052-41-3	EINECS 232-489-3	< 1	Xn:R65 - Nota 4,P (EU) Xi:R38; R67 (Self Classified)  Asp. Tox. 1, H304 - Nota P (CLP) Skin Irrit. 2, H315; STOT SE 3, H336 (Self Classified)
5-chloro-2-methyl-2H-isothiazol-3-one	26172-55-4	EINECS 247-500-7	< 0.001	T:R23-24-25; C:R34; N:R50/53; R43 (Self Classified)  Acute Tox. 3, H331; Acute Tox. 3, H311; Acute Tox. 3, H301; Skin Corr. 1B, H314; Skin Sens. 1, H317; Aquatic Acute 1, H400,M=10 (Self Classified)
2-methyl-2H-isothiazol-3-one	2682-20-4	EINECS 220-239-6	< 0.001	T:R23-24-25; C:R34; N:R50/53; R43 (Self Classified)  Acute Tox. 3, H331; Acute Tox. 3, H311; Acute Tox. 3, H301; Skin Corr. 1B, H314; Skin Sens. 1, H317; Aquatic Acute 1, H400,M=10; Aquatic Chronic 1, H410,M=10 (Self Classified)

Please see section 16 for the full text of any R phrases and H statements referred to in this section

Please refer to section 15 for the any applicable Notas that have been applied to the above components

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

**SECTION 4: First aid measures****4.1. Description of first aid measures****Inhalation**

Remove person to fresh air. If you feel unwell, get medical attention.

**Skin contact**

Wash with soap and water. If signs/symptoms develop, get medical attention.

**Eye contact**

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

**If swallowed**

Rinse mouth. If you feel unwell, get medical attention.

**4.2. Most important symptoms and effects, both acute and delayed**

See Section 11.1 Information on toxicological effects

**4.3. Indication of any immediate medical attention and special treatment required**

Not applicable

**SECTION 5: Fire-fighting measures**

### 5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

### 5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

### Hazardous Decomposition or By-Products

<u>Substance</u>	<u>Condition</u>
Formaldehyde	During combustion.
Carbon monoxide.	During combustion.
Carbon dioxide.	During combustion.
Irritant vapours or gases.	During combustion.

### 5.3. Advice for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Warning: A motor could be an ignition source and could cause flammable gases or vapours in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

### 6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

### 6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a toxic, corrosivity or flammability hazard. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with detergent and water. Seal the container. Dispose of collected material as soon as possible.

### 6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Do not use in a confined area or areas with little or no air movement. Keep out of reach of children. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Vapours may travel long distances along the ground or floor to an ignition source and flash back.

### 7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight. Store away from heat. Store away from acids. Store away from strong bases. Store away from oxidising agents.

### 7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and

personal protection recommendations.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this Safety Data Sheet.

### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

#### 8.2.2. Personal protective equipment (PPE)

##### Eye/face protection

As a good industrial hygiene practice:  
Wear eye/face protection.

The following eye protection(s) are recommended: Safety glasses with side shields.

##### Skin/hand protection

Wear protective gloves.

Select and use gloves and/or protective clothing to prevent skin contact based on the results of an exposure assessment. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible materials. Gloves made from the following material(s) are recommended: Neoprene.

##### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours

For questions about suitability for a specific application, consult with your respirator manufacturer.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Appearance/Odour	Banana fragrance; Light yellow lotion
Odour threshold	<i>No data available.</i>
pH	7.5 - 8.5
Boiling point/boiling range	198.9 °C
Melting point	<i>Not applicable.</i>
Flammability (solid, gas)	Not applicable.
Explosive properties	Not classified
Oxidising properties	Not classified

## M26, Hi-Tech Yellow Liquid Wax (22-129A): M2616, M2601

<b>Flash point</b>	> 93.3 °C [ <i>Test Method:</i> Pensky-Martens Closed Cup] [ <i>Details:</i> D93-90]
<b>Autoignition temperature</b>	<i>Not applicable.</i>
<b>Flammable Limits(LEL)</b>	<i>Not applicable.</i>
<b>Flammable Limits(UEL)</b>	<i>Not applicable.</i>
<b>Vapour pressure</b>	<i>No data available.</i>
<b>Relative density</b>	0.95 [ <i>Ref Std:</i> WATER=1]
<b>Water solubility</b>	Moderate
<b>Solubility- non-water</b>	<i>No data available.</i>
<b>Partition coefficient: n-octanol/water</b>	<i>No data available.</i>
<b>Evaporation rate</b>	<i>No data available.</i>
<b>Vapour density</b>	<i>No data available.</i>
<b>Decomposition temperature</b>	<i>No data available.</i>
<b>Viscosity</b>	25 - 37 Pa-s
<b>Density</b>	0.95 g/cm <sup>3</sup>

### 9.2. Other information

<b>Volatile organic compounds (VOC)</b>	14.97 % weight
<b>VOC less H<sub>2</sub>O &amp; exempt solvents</b>	543.59 g/l

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

### 10.2 Chemical stability

Stable.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

### 10.4 Conditions to avoid

Heat.

### 10.5 Incompatible materials

Strong acids.  
Strong bases.  
Strong oxidising agents.

### 10.6 Hazardous decomposition products

<u>Substance</u>	<u>Condition</u>
None known.	

## SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be

relevant to the material as a whole.

### 11.1 Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

Intentional concentration and inhalation may be harmful or fatal. Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. May cause target organ effects after inhalation.

#### Skin contact

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness.

#### Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

#### Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

#### Target Organ Effects:

#### Single exposure may cause:

Central nervous system (CNS) depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

### Toxicological Data

#### Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		Data not available or insufficient for classification; calculated ATE >5,000 mg/kg
Solvent naphtha (petroleum), medium aliphatic	Inhalation-Vapor		LC50 estimated to be 20 - 50 mg/l
Solvent naphtha (petroleum), medium aliphatic	Dermal	Rabbit	LD50 > 3,000 mg/kg
Solvent naphtha (petroleum), medium aliphatic	Ingestion	Rat	LD50 > 5,000 mg/kg
Ceramic materials and wares, chemicals	Dermal		LD50 estimated to be > 5,000 mg/kg
Ceramic materials and wares, chemicals	Ingestion		LD50 estimated to be 2,000 - 5,000 mg/kg
Distillates (petroleum), hydrotreated light	Dermal	Rabbit	LD50 > 3,160 mg/kg
Distillates (petroleum), hydrotreated light	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 3.0 mg/l
Distillates (petroleum), hydrotreated light	Ingestion	Rat	LD50 > 5,000 mg/kg
Siloxanes and silicones, di-Me	Dermal	Rabbit	LD50 > 19,400 mg/kg
Siloxanes and silicones, di-Me	Ingestion	Rat	LD50 > 17,000 mg/kg
Conditioners	Ingestion		LD50 estimated to be > 5,000 mg/kg
Distillates (petroleum), hydrotreated middle	Dermal	Rabbit	LD50 > 2,000 mg/kg
Distillates (petroleum), hydrotreated middle	Inhalation-Dust/Mist (4 hours)	Rat	LC50 4.6 mg/l

**M26, Hi-Tech Yellow Liquid Wax (22-129A): M2616, M2601**

Distillates (petroleum), hydrotreated middle	Ingestion	Rat	LD50 > 5,000 mg/kg
Stoddard solvent	Inhalation-Vapor		LC50 estimated to be 20 - 50 mg/l
Stoddard solvent	Dermal	Rabbit	LD50 > 3,000 mg/kg
Stoddard solvent	Ingestion	Rat	LD50 > 5,000 mg/kg
5-chloro-2-methyl-2H-isothiazol-3-one			Data not available or insufficient for classification
2-methyl-2H-isothiazol-3-one			Data not available or insufficient for classification

ATE = acute toxicity estimate

**Skin Corrosion/Irritation**

Name	Species	Value
Solvent naphtha (petroleum), medium aliphatic	Rabbit	Irritant
Ceramic materials and wares, chemicals	Rabbit	No significant irritation
Distillates (petroleum), hydrotreated light	Rabbit	Mild irritant
Siloxanes and silicones, di-Me	Rabbit	No significant irritation
Conditioners		Data not available or insufficient for classification
Distillates (petroleum), hydrotreated middle	Rabbit	Minimal irritation
Stoddard solvent	Rabbit	Irritant
5-chloro-2-methyl-2H-isothiazol-3-one		Data not available or insufficient for classification
2-methyl-2H-isothiazol-3-one		Data not available or insufficient for classification

**Serious Eye Damage/Irritation**

Name	Species	Value
Solvent naphtha (petroleum), medium aliphatic	Rabbit	No significant irritation
Ceramic materials and wares, chemicals	Rabbit	Mild irritant
Distillates (petroleum), hydrotreated light	Rabbit	Mild irritant
Siloxanes and silicones, di-Me	Rabbit	No significant irritation
Conditioners		Data not available or insufficient for classification
Distillates (petroleum), hydrotreated middle	Not available	Mild irritant
Stoddard solvent	Rabbit	No significant irritation
5-chloro-2-methyl-2H-isothiazol-3-one		Data not available or insufficient for classification
2-methyl-2H-isothiazol-3-one		Data not available or insufficient for classification

**Skin Sensitisation**

Name	Species	Value
Solvent naphtha (petroleum), medium aliphatic	Guinea pig	Not sensitizing
Ceramic materials and wares, chemicals		Data not available or insufficient for classification
Distillates (petroleum), hydrotreated light	Guinea pig	Not sensitizing
Siloxanes and silicones, di-Me		Data not available or insufficient for classification
Conditioners		Data not available or insufficient for classification
Distillates (petroleum), hydrotreated middle		Data not available or insufficient for classification
Stoddard solvent	Guinea pig	Not sensitizing
5-chloro-2-methyl-2H-isothiazol-3-one		Data not available or insufficient for classification
2-methyl-2H-isothiazol-3-one		Data not available or insufficient for classification



**M26, Hi-Tech Yellow Liquid Wax (22-129A): M2616, M2601****Respiratory Sensitisation**

Name	Species	Value
Solvent naphtha (petroleum), medium aliphatic		Data not available or insufficient for classification
Ceramic materials and wares, chemicals		Data not available or insufficient for classification
Distillates (petroleum), hydrotreated light		Data not available or insufficient for classification
Siloxanes and silicones, di-Me		Data not available or insufficient for classification
Conditioners		Data not available or insufficient for classification
Distillates (petroleum), hydrotreated middle		Data not available or insufficient for classification
Stoddard solvent		Data not available or insufficient for classification
5-chloro-2-methyl-2H-isothiazol-3-one		Data not available or insufficient for classification
2-methyl-2H-isothiazol-3-one		Data not available or insufficient for classification

**Germ Cell Mutagenicity**

Name	Route	Value
Solvent naphtha (petroleum), medium aliphatic	In vivo	Not mutagenic
Solvent naphtha (petroleum), medium aliphatic	In Vitro	Some positive data exist, but the data are not sufficient for classification
Ceramic materials and wares, chemicals	In Vitro	Some positive data exist, but the data are not sufficient for classification
Distillates (petroleum), hydrotreated light	In Vitro	Not mutagenic
Siloxanes and silicones, di-Me		Data not available or insufficient for classification
Conditioners		Data not available or insufficient for classification
Distillates (petroleum), hydrotreated middle	In Vitro	Some positive data exist, but the data are not sufficient for classification
Stoddard solvent	In vivo	Not mutagenic
Stoddard solvent	In Vitro	Some positive data exist, but the data are not sufficient for classification
5-chloro-2-methyl-2H-isothiazol-3-one		Data not available or insufficient for classification
2-methyl-2H-isothiazol-3-one		Data not available or insufficient for classification

**Carcinogenicity**

Name	Route	Species	Value
Solvent naphtha (petroleum), medium aliphatic	Dermal	Mouse	Some positive data exist, but the data are not sufficient for classification
Solvent naphtha (petroleum), medium aliphatic	Inhalation	Human and animal	Some positive data exist, but the data are not sufficient for classification
Ceramic materials and wares, chemicals	Inhalation	Multiple animal species	Some positive data exist, but the data are not sufficient for classification
Distillates (petroleum), hydrotreated light	Dermal	Mouse	Some positive data exist, but the data are not sufficient for classification
Siloxanes and silicones, di-Me			Data not available or insufficient for classification
Conditioners			Data not available or insufficient for classification
Distillates (petroleum), hydrotreated middle	Dermal	Mouse	Some positive data exist, but the data are not sufficient for classification
Stoddard solvent	Dermal	Mouse	Some positive data exist, but the data

**M26, Hi-Tech Yellow Liquid Wax (22-129A): M2616, M2601**

			are not sufficient for classification
Stoddard solvent	Inhalation	Human and animal	Some positive data exist, but the data are not sufficient for classification
5-chloro-2-methyl-2H-isothiazol-3-one			Data not available or insufficient for classification
2-methyl-2H-isothiazol-3-one			Data not available or insufficient for classification

**Reproductive Toxicity**

**Reproductive and/or Developmental Effects**

Name	Route	Value	Species	Test result	Exposure Duration
Solvent naphtha (petroleum), medium aliphatic	Inhalation	Not toxic to development	Rat	NOAEL 2.4 mg/l	during organogenesis
Ceramic materials and wares, chemicals		Data not available or insufficient for classification			
Siloxanes and silicones, di-Me		Data not available or insufficient for classification			
Conditioners		Data not available or insufficient for classification			
Distillates (petroleum), hydrotreated middle		Data not available or insufficient for classification			
Stoddard solvent	Inhalation	Not toxic to development	Rat	NOAEL 2.4 mg/l	during organogenesis
5-chloro-2-methyl-2H-isothiazol-3-one		Data not available or insufficient for classification			
2-methyl-2H-isothiazol-3-one		Data not available or insufficient for classification			

**Target Organ(s)**

**Specific Target Organ Toxicity - single exposure**

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Solvent naphtha (petroleum), medium aliphatic	Inhalation	central nervous system depression	May cause drowsiness or dizziness	Human and animal	NOAEL Not available	
Solvent naphtha (petroleum), medium aliphatic	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		NOAEL Not available	
Solvent naphtha (petroleum), medium aliphatic	Inhalation	nervous system	Some positive data exist, but the data are not sufficient for classification	Dog	NOAEL 6.5 mg/l	4 hours
Distillates (petroleum), hydrotreated light	Inhalation	central nervous system depression	May cause drowsiness or dizziness		NOAEL Not available	

**M26, Hi-Tech Yellow Liquid Wax (22-129A): M2616, M2601**

Distillates (petroleum), hydrotreated light	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		NOAEL Not available	
Siloxanes and silicones, di-Me			Data not available or insufficient for classification			
Conditioners			Data not available or insufficient for classification			
Distillates (petroleum), hydrotreated middle	Inhalation	central nervous system depression   respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Not available	NOAEL NA	
Distillates (petroleum), hydrotreated middle	Ingestion	central nervous system depression	May cause drowsiness or dizziness	Not available	NOAEL NA	
Stoddard solvent	Inhalation	central nervous system depression	May cause drowsiness or dizziness	Human and animal	NOAEL Not available	
Stoddard solvent	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		NOAEL Not available	
Stoddard solvent	Inhalation	nervous system	Some positive data exist, but the data are not sufficient for classification	Dog	NOAEL 6.5 mg/l	4 hours
5-chloro-2-methyl-2H-isothiazol-3-one			Data not available or insufficient for classification			
2-methyl-2H-isothiazol-3-one			Data not available or insufficient for classification			

**Specific Target Organ Toxicity - repeated exposure**

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Solvent naphtha (petroleum), medium aliphatic	Inhalation	nervous system	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 4.6 mg/l	6 months
Solvent naphtha (petroleum), medium aliphatic	Inhalation	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 1.9 mg/l	13 weeks
Solvent naphtha (petroleum), medium aliphatic	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification	Multiple animal species	NOAEL 0.6 mg/l	90 days
Solvent naphtha	Inhalation	bone, teeth, nails, and/or	All data are negative	Rat	NOAEL 5.6 mg/l	12 weeks

**M26, Hi-Tech Yellow Liquid Wax (22-129A): M2616, M2601**

(petroleum), medium aliphatic		hair   blood   liver   muscles				
Solvent naphtha (petroleum), medium aliphatic	Inhalation	heart	All data are negative	Multiple animal species	NOAEL 1.3 mg/l	90 days
Ceramic materials and wares, chemicals	Inhalation	pulmonary fibrosis	Some positive data exist, but the data are not sufficient for classification	Multiple animal species	NOAEL not available	
Ceramic materials and wares, chemicals	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification	Human	NOAEL not available	occupational exposure
Conditioners			Data not available or insufficient for classification			
Distillates (petroleum), hydrotreated middle			Data not available or insufficient for classification			
Stoddard solvent	Inhalation	nervous system	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 4.6 mg/l	6 months
Stoddard solvent	Inhalation	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 1.9 mg/l	13 weeks
Stoddard solvent	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification	Multiple animal species	NOAEL 0.6 mg/l	90 days
Stoddard solvent	Inhalation	bone, teeth, nails, and/or hair   blood   liver   muscles	All data are negative	Rat	NOAEL 5.6 mg/l	12 weeks
Stoddard solvent	Inhalation	heart	All data are negative	Multiple animal species	NOAEL 1.3 mg/l	90 days
5-chloro-2-methyl-2H-isothiazol-3-one			Data not available or insufficient for classification			
2-methyl-2H-isothiazol-3-one			Data not available or insufficient for classification			

**Aspiration Hazard**

Name	Value
Solvent naphtha (petroleum), medium aliphatic	Aspiration hazard
Ceramic materials and wares, chemicals	Not an aspiration hazard
Distillates (petroleum), hydrotreated light	Aspiration hazard
Siloxanes and silicones, di-Me	Not an aspiration hazard
Conditioners	Not an aspiration hazard

**M26, Hi-Tech Yellow Liquid Wax (22-129A): M2616, M2601**

Distillates (petroleum), hydrotreated middle	Aspiration hazard
Stoddard solvent	Aspiration hazard
5-chloro-2-methyl-2H-isothiazol-3-one	Not an aspiration hazard
2-methyl-2H-isothiazol-3-one	Not an aspiration hazard

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

**SECTION 12: Ecological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

**12.1. Toxicity**

No product test data available.  
No component test data available.

**12.2. Persistence and degradability**

No test data available.

**12.3 : Bioaccumulative potential**

No test data available.

**12.4. Mobility in soil**

Please contact manufacturer for more details

**12.5. Results of the PBT and vPvB assessment**

No information available at this time, contact manufacturer for more details

**12.6. Other adverse effects**

No information available.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations

Dispose of waste product in a permitted industrial waste facility. Proper destruction may require the use of additional fuel during incineration processes. As a disposal alternative, utilize an acceptable permitted waste disposal facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

**EU waste code (product as sold)**

20 01 13\* Solvents

## SECTION 14: Transportation information

ADR: Not restricted for transport.  
IMDG: Not restricted for transport.  
IATA: Not restricted for transport.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Global inventory status

Contact manufacturer for more information The components of this product are in compliance with the chemical notification requirements of TSCA.

### 15.2. Chemical Safety Assessment

Not applicable

## SECTION 16: Other information

### List of relevant H statements

EUH066	Repeated exposure may cause skin dryness or cracking.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

### List of relevant R-phrases

R10	Flammable.
R20	Harmful by inhalation.
R23	Toxic by inhalation.
R24	Toxic in contact with skin.
R25	Toxic if swallowed.
R34	Causes burns.
R38	Irritating to skin.
R43	May cause sensitisation by skin contact.
R50/53	Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.
R52/53	Harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment.
R65	Harmful: May cause lung damage if swallowed.
R66	Repeated exposure may cause skin dryness or cracking.
R67	Vapours may cause drowsiness and dizziness.

### Revision information:

Revision Changes:

Section 1: Product name was modified.  
Section 8: Skin protection - recommended gloves information was modified.  
Section 8: Respiratory protection - recommended respirators information was modified.  
Risk phrase was modified.  
Section 8: Respiratory protection - recommended respirators was modified.  
Page Heading: Product name was modified.  
Section 16: List of relevant R phrase information was modified.  
Section 3: Composition/ Information of ingredients table was modified.  
Section 9: Flammability (solid, gas) information was modified.  
Section 2: Label remarks was modified.  
Copyright was modified.  
Aspiration Hazard Table was modified.  
Section 11: Acute Toxicity table was modified.  
Carcinogenicity Table was modified.  
Serious Eye Damage/Irritation Table was modified.  
Germ Cell Mutagenicity Table was modified.  
Skin Sensitisation Table was modified.  
Respiratory Sensitisation Table was modified.  
Reproductive Toxicity Table was modified.  
Skin Corrosion/Irritation Table was modified.  
Target Organs - Repeated Table was modified.  
Target Organs - Single Table was modified.  
Section 5: Fire - Extinguishing media information was modified.  
Section 6: Accidental release clean-up information was modified.  
Section 7: Conditions safe storage was modified.  
Section 13: Standard Phrase Category Waste GHS was modified.  
Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. was modified.  
Section 8: Respiratory protection - recommended respirators guide was added.  
Section 8: Skin protection - protective clothing text was added.  
Section 2: Indication of danger heading was added.  
Section 2: Indication of danger information was added.  
Section 8: Occupational exposure limit table was added.  
Section 9: Odour Threshold was added.  
Section 9: Solubility (non-water) was added.  
Section 09: Decomposition Temperature was added.  
Section 11: Single exposure may cause: heading was added.  
Section 11: Single exposure may cause standard phrases was added.  
Section 2: R phrase reference was added.  
Label: Graphic was added.  
Section 02: Graphic information was added.  
Section 9: Flammability (solid, gas) information was added.  
Section 2: Symbols heading was deleted.  
Section 15: Symbol information was deleted.  
Section 12: Acute aquatic hazard information was deleted.  
Section 12: Chronic aquatic hazard heading was deleted.  
Section 12: Acute aquatic hazard heading was deleted.  
Section 12: Chronic aquatic hazard information was deleted.  
Section 8: OEL table agency column heading was deleted.  
Section 8: OEL table limit type column heading was deleted.  
OEL Ceiling Heading was deleted.  
Section 8: Occupational exposure limit table was deleted.  
Section 8: OEL table Ingredient column heading was deleted.  
Section 8: OEL table Additional Comments column heading was deleted.  
OEL Reg Agency Desc was deleted.  
Section 8: TWA key was deleted.

Section 8: STEL key was deleted.

Section 8: mg/m<sup>3</sup> key was deleted.

Section 8: ppm key was deleted.

Section 8: OEL table CAS No Column heading was deleted.

Section 11: UN GHS Classification table heading was deleted.

Section 11: Health Effects - Other information was deleted.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

**Meguiar's, Inc. United Kingdom MSDSs are available at [www.meguiars.co.uk](http://www.meguiars.co.uk)**