



Safety Data Sheet

Copyright, 2012, Meguiar's, Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising Meguiar's, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group:	28-1832-6	Version number:	2.03
Revision date:	30/07/2012	Supersedes date:	23/04/2012
Transportation version number:	1.00 (12/08/2010)		

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

M105, Ultra Cut Compound (21-29A): M10501, M10508, M10532

Product identification numbers

GC-8010-5548-1 GC-8010-5549-9 KS-9990-0701-0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Automotive.

1.3. Details of the supplier of the substance or mixture

Address: Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UF
Telephone: +44 (0)870 241 6696
E Mail: info@meguiars.co.uk
Website: www.meguiars.co.uk

1.4. Emergency telephone number

+44 (0)870 241 6696

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive

This product is not classified as hazardous according to EU Directive 1999/45/EC.

2.2. Label elements

Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive

Symbols None.

M105, Ultra Cut Compound (21-29A): M10501, M10508, M10532**Contains:**

No ingredients are assigned to the label.

Risk phrases None.

Safety phrases None.

Special provisions concerning the labelling of certain substances

Safety data sheet available for professional user on request.

Notes on labelling

R65 is not required on the label due to the product's viscosity.

Nota N applied to CASRN 64742-46-7.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

Ingredient	CAS Nbr	EU Inventory	% by Wt	Classification
Non Hazardous ingredient	Mixture		60 - 80	
Aluminium oxide (REACH Reg. No.:01-2119529248-35)	1344-28-1	EINECS 215-691-6	5 - 25	
Solvent naphtha (petroleum), medium aliphatic	64742-88-7	EINECS 265-191-7	7 - 13	Xn:R65 - Nota 4 (EU) R10; R66; R67 (Self Classified) Asp. Tox. 1, H304 (CLP) Flam. Liq. 3, H226; STOT SE 3, H336; EUH066 (Self Classified)
Distillates (petroleum), hydrotreated middle	64742-46-7	EINECS 265-148-2	1 - 5	Nota N (EU) Xn:R20-65; R66 (Self Classified) Nota N (CLP) Acute Tox. 4, H332; Asp. Tox. 1, H304; STOT SE 3, H336; EUH066 (Self Classified)
Glycerin	56-81-5	EINECS 200-289-5	1 - 5	
Conditioners	Trade Secret		0.1 - 1.0	
Triethanolamine	102-71-6	EINECS 203-049-8	0.1 - 1.0	

Please see section 16 for the full text of any R phrases and H statements referred to in this section

Please refer to section 15 for the any applicable Notas that have been applied to the above components

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures**4.1. Description of first aid measures**

Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

<u>Substance</u>	<u>Condition</u>
Hydrocarbons.	During combustion.
Carbon monoxide.	During combustion.
Carbon dioxide.	During combustion.
Irritant vapours or gases.	During combustion.
Oxides of nitrogen.	During combustion.

5.3. Advice for fire-fighters

No unusual fire or explosion hazards are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Warning: A motor could be an ignition source and could cause flammable gases or vapours in the spill area to burn or explode. Observe precautions from other sections.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with detergent and water. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep out of reach of children. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.)

7.2. Conditions for safe storage including any incompatibilities

Store away from acids. Store away from heat. Store away from oxidising agents. Store away from strong bases.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
Aluminium oxide	1344-28-1	Health and Safety Comm. (UK)	TWA(as inhalable dust):10 mg/m ³ ;TWA(as respirable dust):4 mg/m ³	
Glycerin	56-81-5	Health and Safety Comm. (UK)	TWA(as mist):10 mg/m ³	

Health and Safety Comm. (UK) : UK Health and Safety Commission

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

ppm: parts per million

mg/m³: milligrams per cubic metre

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

The following eye protection(s) are recommended: Indirect vented goggles.

Skin/hand protection

Gloves made from the following material(s) are recommended: Nitrile rubber.
Polymer laminate

Respiratory protection

M105, Ultra Cut Compound (21-29A): M10501, M10508, M10532

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Appearance/Odour	Sweet hydrocarbon odour; Creamy White
pH	8.20 - 8.80
Boiling point/boiling range	193 °C
Melting point	<i>No data available.</i>
Flammability (solid, gas)	Not classified
Explosive properties	Not classified
Oxidising properties	Not classified
Flash point	Flash point > 93 °C (200 °F)
Autoignition temperature	<i>No data available.</i>
Flammable Limits(LEL)	<i>No data available.</i>
Flammable Limits(UEL)	<i>No data available.</i>
Relative density	1.18 [<i>Ref Std:WATER=1</i>]
Water solubility	Moderate
Partition coefficient: n-octanol/water	<i>No data available.</i>
Evaporation rate	<i>No data available.</i>
Vapour density	<i>No data available.</i>
Viscosity	28 - 38 Pa-s
Density	1.18 g/ml

9.2. Other information

Volatile organic compounds (VOC)	10.93 %
Volatile organic compounds (VOC)	171.10 g/l

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is considered to be non reactive under normal use conditions

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Heat.

10.5 Incompatible materials

Strong acids.
Strong bases.
Strong oxidising agents.

10.6 Hazardous decomposition products

<u>Substance</u>	<u>Condition</u>
None known.	

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

Skin contact

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness.

Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

Toxicological Data

Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No test data available; calculated ATE >5,000 mg/kg
Aluminium oxide	Inhalation-Dust/Mist (4 hours)	Rabbit	LC50 > 1.9 mg/l
Aluminium oxide	Ingestion	Rat	LD50 > 5,000 mg/kg
Solvent naphtha (petroleum), medium aliphatic	Dermal	Rabbit	LD50 > 3,000 mg/kg
Solvent naphtha (petroleum), medium aliphatic	Inhalation-Vapor (4 hours)	Rat	LC50 estimated to be 20 - 50 mg/l
Solvent naphtha (petroleum), medium aliphatic	Ingestion	Rat	LD50 > 5,000 mg/kg
Distillates (petroleum), hydrotreated middle	Dermal	Rabbit	LD50 > 2,000 mg/kg
Distillates (petroleum), hydrotreated middle	Inhalation-Dust/Mist (4 hours)	Rat	LC50 5 mg/l
Distillates (petroleum), hydrotreated	Ingestion	Rat	LD50 > 5,000 mg/kg

M105, Ultra Cut Compound (21-29A): M10501, M10508, M10532

middle			
Glycerin	Dermal	Rabbit	LD50 estimated to be > 5,000 mg/kg
Glycerin	Ingestion	Rat	LD50 > 5,000 mg/kg
Triethanolamine	Dermal	Rabbit	LD50 > 2,000 mg/kg
Triethanolamine	Ingestion	Rat	LD50 9,000 mg/kg
Conditioners			No data available

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Aluminium oxide		No data available
Solvent naphtha (petroleum), medium aliphatic		Mild irritant
Distillates (petroleum), hydrotreated middle	Rabbit	Minimal irritation
Glycerin	Rabbit	No significant irritation
Triethanolamine	Rabbit	Minimal irritation
Conditioners		No data available

Serious Eye Damage/Irritation

Name	Species	Value
Aluminium oxide		No data available
Solvent naphtha (petroleum), medium aliphatic		Mild irritant
Distillates (petroleum), hydrotreated middle	Not available	Mild irritant
Glycerin	Rabbit	No significant irritation
Triethanolamine	Rabbit	Mild irritant
Conditioners		No data available

Skin Sensitisation

Name	Species	Value
Aluminium oxide		No data available
Solvent naphtha (petroleum), medium aliphatic		Not sensitizing
Distillates (petroleum), hydrotreated middle		No data available
Glycerin	Guinea pig	Not sensitizing
Triethanolamine	Human	Some positive data exist, but the data are not sufficient for classification
Conditioners		No data available

Respiratory Sensitisation

Name	Species	Value
Aluminium oxide		No data available
Solvent naphtha (petroleum), medium aliphatic		No data available
Distillates (petroleum), hydrotreated middle		No data available
Glycerin		No data available
Triethanolamine		No data available
Conditioners		No data available

Germ Cell Mutagenicity

Name	Route	Value
Aluminium oxide	In Vitro	Not mutagenic
Solvent naphtha (petroleum), medium aliphatic	Inhalation	Not mutagenic
Solvent naphtha (petroleum), medium aliphatic	In Vitro	Some positive data exist, but the data are not sufficient for classification
Distillates (petroleum), hydrotreated middle	In Vitro	Some positive data exist, but the data are not sufficient for classification
Glycerin		No data available
Triethanolamine	In Vitro	Not mutagenic
Triethanolamine	In vivo	Not mutagenic
Conditioners		No data available

M105, Ultra Cut Compound (21-29A): M10501, M10508, M10532

Carcinogenicity

Name	Route	Species	Value
Aluminium oxide	Inhalation		Not carcinogenic
Solvent naphtha (petroleum), medium aliphatic	Dermal		Some positive data exist, but the data are not sufficient for classification
Solvent naphtha (petroleum), medium aliphatic	Inhalation		Some positive data exist, but the data are not sufficient for classification
Distillates (petroleum), hydrotreated middle	Dermal	Mouse	Some positive data exist, but the data are not sufficient for classification
Glycerin	Ingestion	Mouse	Some positive data exist, but the data are not sufficient for classification
Triethanolamine	Dermal	Multiple animal species	Not carcinogenic
Triethanolamine	Ingestion	Mouse	Some positive data exist, but the data are not sufficient for classification
Conditioners			No data available

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Aluminium oxide		No data available			
Solvent naphtha (petroleum), medium aliphatic	Inhalation	Not toxic to reproduction and/or development		NOAEL 2.356 mg/l	
Distillates (petroleum), hydrotreated middle		No data available			
Glycerin	Ingestion	Not toxic to female reproduction	Rat	NOAEL 2,000 mg/kg/day	2 generation
Glycerin	Ingestion	Not toxic to male reproduction	Rat	NOAEL 2,000 mg/kg/day	2 generation
Glycerin	Ingestion	Not toxic to development	Rat	NOAEL 2,000 mg/kg/day	2 generation
Triethanolamine	Ingestion	Not toxic to development	Mouse	NOAEL 1,125 mg/kg/day	during organogenesis
Conditioners		No data available			

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Aluminium oxide	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		Irritation Positive	
Solvent naphtha (petroleum), medium aliphatic	Inhalation	central nervous system depression	May cause drowsiness or dizziness		NOAEL N/A	
Solvent naphtha (petroleum),	Inhalation	respiratory irritation	Some positive data exist, but the data are not		Irritation Positive	

M105, Ultra Cut Compound (21-29A): M10501, M10508, M10532

medium aliphatic			sufficient for classification			
Solvent naphtha (petroleum), medium aliphatic	Inhalation	nervous system	Some positive data exist, but the data are not sufficient for classification		NOEL 6.5 mg/l	
Solvent naphtha (petroleum), medium aliphatic	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification		NOEL 2.4 mg/l	
Solvent naphtha (petroleum), medium aliphatic	Inhalation	heart	All data are negative		NOAEL 2.5 mg/l	
Solvent naphtha (petroleum), medium aliphatic	Inhalation	liver kidney and/or bladder	All data are negative		NOAEL 0.610 mg/l	
Solvent naphtha (petroleum), medium aliphatic	Inhalation	muscles	All data are negative		NOAEL 0.61 mg/l	
Distillates (petroleum), hydrotreated middle	Inhalation	central nervous system depression	May cause drowsiness or dizziness			
Distillates (petroleum), hydrotreated middle	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Not available	NOAEL NA	
Distillates (petroleum), hydrotreated middle	Ingestion	central nervous system depression	May cause drowsiness or dizziness			
Glycerin			No data available			
Triethanolamine			No data available			
Conditioners			No data available			

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Aluminium oxide	Inhalation	pneumoconiosis	May cause damage to organs though prolonged or repeated exposure		NOAEL N/A	
Aluminium oxide	Inhalation	pulmonary fibrosis	Some positive data exist, but the data are not sufficient for classification		NOAEL N/A	
Solvent naphtha (petroleum),	Dermal	nervous system	Some positive data exist, but the data are not		LOEL 691 mg/kg	

M105, Ultra Cut Compound (21-29A): M10501, M10508, M10532

medium aliphatic			sufficient for classification			
Solvent naphtha (petroleum), medium aliphatic	Inhalation	nervous system	Some positive data exist, but the data are not sufficient for classification		LOEL 4.580 mg/l	
Solvent naphtha (petroleum), medium aliphatic	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification		NOEL 0.619 mg/l	
Solvent naphtha (petroleum), medium aliphatic	Inhalation	endocrine system muscles	Some positive data exist, but the data are not sufficient for classification		LOEL 0.616 mg/l	
Solvent naphtha (petroleum), medium aliphatic	Inhalation	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification		LOEL 0.57 mg/l	
Solvent naphtha (petroleum), medium aliphatic	Inhalation	bone, teeth, nails, and/or hair blood liver	All data are negative		NOAEL 5.62 mg/l	
Solvent naphtha (petroleum), medium aliphatic	Inhalation	heart	All data are negative		NOAEL 1.271 mg/l	
Solvent naphtha (petroleum), medium aliphatic	Inhalation	immune system	All data are negative		NOAEL 0.616 mg/l	
Distillates (petroleum), hydrotreated middle			No data available			
Glycerin	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 3.91 mg/l	14 days
Glycerin	Inhalation	heart liver kidney and/or bladder	All data are negative	Rat	NOAEL 3.91 mg/l	14 days
Glycerin	Ingestion	endocrine system hematopoietic system liver kidney and/or bladder	All data are negative	Rat	NOAEL 10,000 mg/kg/day	2 years
Triethanolamine	Dermal	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Multiple animal species	NOAEL 2,000 mg/kg/day	2 years
Triethanolamine	Dermal	liver	Some positive	Mouse	NOAEL 4,000	13 weeks

M105, Ultra Cut Compound (21-29A): M10501, M10508, M10532

ne			data exist, but the data are not sufficient for classification		mg/kg/day	
Triethanolamine	Ingestion	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 1,000 mg/kg/day	2 years
Triethanolamine	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification	Guinea pig	NOAEL 1,600 mg/kg/day	24 weeks
Conditioners			No data available			

Aspiration Hazard

Name	Value
Aluminium oxide	Not an aspiration hazard
Solvent naphtha (petroleum), medium aliphatic	Aspiration hazard
Glycerin	Not an aspiration hazard
Triethanolamine	Not an aspiration hazard
Conditioners	Not an aspiration hazard

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

12.1. Toxicity**Acute aquatic hazard:**

Not acutely toxic to aquatic life by GHS criteria.

Chronic aquatic hazard:

Not chronically toxic to aquatic life by GHS criteria.

No product test data available.

No component test data available.

12.2. Persistence and degradability

No test data available.

12.3 : Bioaccumulative potential

No test data available.

12.4. Mobility in soil

Please contact manufacturer for more details

12.5. Results of the PBT and vPvB assessment

M105, Ultra Cut Compound (21-29A): M10501, M10508, M10532

No information available at this time, contact manufacturer for more details

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations

This product has been classified as a non-hazardous waste. Prior to disposal, consult all applicable authorities and regulations to insure proper classification. Dispose of waste product in a permitted industrial waste facility.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

EU waste code (product as sold)

120199	Wastes not otherwise specified
20 01 13*	Solvents

SECTION 14: Transportation information

GC-8010-5548-1, GC-8010-5549-9, KS-9990-0701-0

Not hazardous for transportation

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Carcinogenicity

<u>Ingredient</u>	<u>CAS Nbr</u>	<u>Classification</u>	<u>Regulation</u>
Triethanolamine	102-71-6	Gr. 3: Not classifiable	International Agency for Research on Cancer

Global inventory status

Contact manufacturer for more information

15.2. Chemical Safety Assessment

Not applicable

SECTION 16: Other information

List of relevant H statements

EUH066	Repeated exposure may cause skin dryness or cracking.
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.

List of relevant R-phrases

R10	Flammable.
R20	Harmful by inhalation.
R65	Harmful: May cause lung damage if swallowed.
R66	Repeated exposure may cause skin dryness or cracking.
R67	Vapours may cause drowsiness and dizziness.

Revision information:

Revision Changes:

Section 8: Respiratory protection - recommended respirators information was modified.

Section 8: Respiratory protection - recommended respirators was modified.

Section 16: List of relevant R phrase information was modified.

Section 3: Composition/ Information of ingredients table was modified.

Target Organs - Repeated Table was modified.

Target Organs - Single Table was modified.

Section 6: Accidental release clean-up information was modified.

Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. was modified.

Section 8: Respiratory protection - recommended respirators guide was added.

Section 1: Product identification numbers heading was added.

Section 1: Product identification numbers was added.

Section 2: Special provisions concerning the labelling of certain substances heading was added.

Section 2: Additional label requirements phrase was added.

Section 14: Transportation classification was deleted.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

Meguiar's, Inc. United Kingdom MSDSs are available at www.meguiars.co.uk