



Safety Data Sheet

Copyright, 2012, Meguiar's, Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising Meguiar's, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group:	28-2655-0	Version number:	2.01
Revision date:	16/08/2012	Supersedes date:	23/06/2011
Transportation version number:	1.00 (15/06/2010)		

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

M86, Cut & Polish Creme (22-99A): M8601, M8632

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Automotive.

1.3. Details of the supplier of the substance or mixture

Address: Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UF
Telephone: +44 (0)870 241 6696
E Mail: info@meguiars.co.uk
Website: www.meguiars.co.uk

1.4. Emergency telephone number

+44 (0)870 241 6696

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive

This product is not classified as hazardous according to EU Directive 1999/45/EC.

2.2. Label elements

Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive

Symbols None.

Contains:

M86, Cut & Polish Creme (22-99A): M8601, M8632

No ingredients are assigned to the label.

Risk phrases None.

Safety phrases

S23A	Do not breathe vapour.
S24	Avoid contact with skin.
S62	If swallowed, do not induce vomiting: Seek medical advice immediately and show this container or label.
S2	Keep out of the reach of children.

Special provisions concerning the labelling of certain substances

Safety data sheet available for professional user on request.

Notes on labelling

R65 is not required on the label due to the product's viscosity.

Nota N applied to CAS # 64742-46-7; Nota P applied to CAS # 64742-48-9

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

Ingredient	CAS Nbr	EU Inventory	% by Wt	Classification
Non-hazardous ingredient	Mixture		50 - 70	
Naphtha (petroleum), hydrotreated heavy	64742-48-9	EINECS 265-150-3	10 - 30	Xn:R65 - Nota 4,P (EU) R66; R67 (Self Classified) Asp. Tox. 1, H304 - Nota P (CLP) STOT SE 3, H336; EUH066 (Self Classified)
Aluminium oxide (REACH Reg. No.:01-2119529248-35)	1344-28-1	EINECS 215-691-6	5 - 10	
Conditioners	Trade Secret		< 5	
Processed Oil	Trade Secret		1 - 5	
Distillates (petroleum), hydrotreated middle	64742-46-7	EINECS 265-148-2	1 - 5	Nota N (EU) Xn:R20-65; R66 (Self Classified) Nota N (CLP) Acute Tox. 4, H332; Asp. Tox. 1, H304; STOT SE 3, H336; EUH066 (Self Classified)
Glycerin	56-81-5	EINECS 200-289-5	1 - 5	
Ceramic materials and wares, chemicals	66402-68-4	EINECS 266-340-9	1 - 5	
Quartz	14808-60-7	EINECS 238-878-4	<= 0.04	Xn:R48/20 (Vendor) STOT RE 1, H372 (Self Classified)

Please see section 16 for the full text of any R phrases and H statements referred to in this section

Please refer to section 15 for the any applicable Notas that have been applied to the above components

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for flammable liquids and solids such as dry chemical or carbon dioxide.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance	Condition
Hydrocarbons.	During combustion.
Carbon monoxide.	During combustion.
Carbon dioxide.	During combustion.
Irritant vapours or gases.	During combustion.

5.3. Advice for fire-fighters

No unusual fire or explosion hazards are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Warning: A motor could be an ignition source and could cause flammable gases or vapours in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a toxic, corrosivity or flammability hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with detergent and water. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not use in a confined area or areas with little or no air movement. Keep out of reach of children. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Vapours may travel long distances along the ground or floor to an ignition source and flash back.

7.2. Conditions for safe storage including any incompatibilities

Store away from heat. Protect from sunlight. Store away from areas where product may come into contact with food or pharmaceuticals. Store away from acids. Store away from oxidising agents. Store away from strong bases.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
Aluminium oxide	1344-28-1	Health and Safety Comm. (UK)	TWA(as inhalable dust):10 mg/m ³ ;TWA(as respirable dust):4 mg/m ³	
Silica, crystalline (airborne particles of respirable size)	14808-60-7	Health and Safety Comm. (UK)	TWA(respirable):0.1 mg/m ³	
Glycerin	56-81-5	Health and Safety Comm. (UK)	TWA(as mist):10 mg/m ³	
Naphtha (petroleum), hydrotreated heavy	64742-48-9	Manufacturer determined	TWA:100 ppm	

Health and Safety Comm. (UK) : UK Health and Safety Commission

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

ppm: parts per million

mg/m³: milligrams per cubic metre

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

As a good industrial hygiene practice:

Wear eye/face protection.

The following eye protection(s) are recommended: Safety glasses with side shields.

Skin/hand protection

Wear protective gloves.

Gloves made from the following material(s) are recommended: Neoprene.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Appearance/Odour	Sweet; White
pH	8.40 - 9.00
Boiling point/boiling range	193.3 °C
Melting point	<i>No data available.</i>
Flammability (solid, gas)	Not classified
Explosive properties	Not classified
Oxidising properties	Not classified
Flash point	Flash point > 93 °C (200 °F) [<i>Test Method: Closed Cup</i>]
Autoignition temperature	<i>No data available.</i>
Flammable Limits(LEL)	<i>No data available.</i>
Flammable Limits(UEL)	<i>No data available.</i>
Relative density	0.931 - 1.029 [<i>Ref Std: WATER=1</i>]
Water solubility	Moderate
Partition coefficient: n-octanol/water	<i>No data available.</i>
Evaporation rate	<i>No data available.</i>
Vapour density	<i>No data available.</i>
Viscosity	21 - 24 Pa-s
Density	0.931 - 1.029 g/ml

9.2. Other information

Volatile organic compounds (VOC) 14.75 %

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Heat.

10.5 Incompatible materials

Strong acids.

Strong bases.

Strong oxidising agents.

10.6 Hazardous decomposition products

<u>Substance</u>	<u>Condition</u>
None known.	

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Eye contact

Dust created by cutting, grinding, sanding, or machining may cause eye irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Skin contact

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness.

Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. Dust from cutting, grinding, sanding or machining may cause irritation of the respiratory system:

Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, nose and throat pain. May cause target organ effects after inhalation.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

Target Organ Effects:

Prolonged or repeated exposure by inhalation may cause:

Pneumoconiosis: Sign/symptoms may include persistent cough, breathlessness, chest pain, increased amounts of sputum, and changes in lung function tests.

Toxicological Data

Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No test data available; calculated ATE >5,000 mg/kg
Naphtha (petroleum), hydrotreated heavy	Dermal	Rabbit	LD50 > 3,000 mg/kg
Naphtha (petroleum), hydrotreated heavy	Inhalation-Vapor (4 hours)	Rat	LC50 estimated to be 20 - 50 mg/l
Naphtha (petroleum), hydrotreated heavy	Ingestion	Rat	LD50 > 5,000 mg/kg
Aluminium oxide	Inhalation-Dust/Mist (4 hours)	Rabbit	LC50 > 1.9 mg/l
Aluminium oxide	Ingestion	Rat	LD50 > 5,000 mg/kg
Ceramic materials and wares, chemicals	Dermal		LD50 estimated to be > 5,000 mg/kg
Ceramic materials and wares, chemicals	Ingestion		LD50 estimated to be 2,000 - 5,000 mg/kg
Distillates (petroleum), hydrotreated middle	Dermal	Rabbit	LD50 > 2,000 mg/kg
Distillates (petroleum), hydrotreated middle	Inhalation-Dust/Mist (4 hours)	Rat	LC50 5 mg/l
Distillates (petroleum), hydrotreated middle	Ingestion	Rat	LD50 > 5,000 mg/kg
Glycerin	Dermal	Rabbit	LD50 estimated to be > 5,000 mg/kg
Glycerin	Ingestion	Rat	LD50 > 5,000 mg/kg
Quartz	Ingestion		LD50 estimated to be > 5,000 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Naphtha (petroleum), hydrotreated heavy		Mild irritant
Aluminium oxide		No data available
Ceramic materials and wares, chemicals		No data available
Distillates (petroleum), hydrotreated middle	Rabbit	Minimal irritation
Glycerin	Rabbit	No significant irritation
Quartz		No significant irritation

Serious Eye Damage/Irritation

Name	Species	Value
Naphtha (petroleum), hydrotreated heavy		Mild irritant
Aluminium oxide		No data available
Ceramic materials and wares, chemicals		No data available
Distillates (petroleum), hydrotreated middle	Not available	Mild irritant
Glycerin	Rabbit	No significant irritation
Quartz		No data available

Skin Sensitisation

M86, Cut & Polish Creme (22-99A): M8601, M8632

Name	Species	Value
Naphtha (petroleum), hydrotreated heavy		Not sensitizing
Aluminium oxide		No data available
Ceramic materials and wares, chemicals		No data available
Distillates (petroleum), hydrotreated middle		No data available
Glycerin	Guinea pig	Not sensitizing
Quartz		No data available

Respiratory Sensitisation

Name	Species	Value
Naphtha (petroleum), hydrotreated heavy		No data available
Aluminium oxide		No data available
Ceramic materials and wares, chemicals		No data available
Distillates (petroleum), hydrotreated middle		No data available
Glycerin		No data available
Quartz		No data available

Germ Cell Mutagenicity

Name	Route	Value
Naphtha (petroleum), hydrotreated heavy	Inhalation	Not mutagenic
Naphtha (petroleum), hydrotreated heavy	In Vitro	Some positive data exist, but the data are not sufficient for classification
Aluminium oxide	In Vitro	Not mutagenic
Ceramic materials and wares, chemicals	In Vitro	Some positive data exist, but the data are not sufficient for classification
Distillates (petroleum), hydrotreated middle	In Vitro	Some positive data exist, but the data are not sufficient for classification
Glycerin		No data available
Quartz	In vivo	Some positive data exist, but the data are not sufficient for classification

Carcinogenicity

Name	Route	Species	Value
Naphtha (petroleum), hydrotreated heavy	Dermal		Some positive data exist, but the data are not sufficient for classification
Naphtha (petroleum), hydrotreated heavy	Inhalation		Some positive data exist, but the data are not sufficient for classification
Aluminium oxide	Inhalation		Not carcinogenic
Ceramic materials and wares, chemicals	Inhalation		Carcinogenic.
Distillates (petroleum), hydrotreated middle	Dermal	Mouse	Some positive data exist, but the data are not sufficient for classification
Glycerin	Ingestion	Mouse	Some positive data exist, but the data are not sufficient for classification
Quartz	Inhalation		Carcinogenic.

Reproductive Toxicity**Reproductive and/or Developmental Effects**

Name	Route	Value	Species	Test result	Exposure Duration
Naphtha (petroleum), hydrotreated heavy	Inhalation	Not toxic to reproduction and/or development		NOAEL 2.356 mg/l	
Aluminium oxide		No data available			
Ceramic materials and wares, chemicals		No data available			
Distillates (petroleum), hydrotreated middle		No data available			

M86, Cut & Polish Creme (22-99A): M8601, M8632

Glycerin	Ingestion	Not toxic to female reproduction	Rat	NOAEL 2,000 mg/kg/day	2 generation
Glycerin	Ingestion	Not toxic to male reproduction	Rat	NOAEL 2,000 mg/kg/day	2 generation
Glycerin	Ingestion	Not toxic to development	Rat	NOAEL 2,000 mg/kg/day	2 generation
Quartz		No data available			

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Naphtha (petroleum), hydrotreated heavy	Inhalation	central nervous system depression	May cause drowsiness or dizziness		NOAEL N/A	
Naphtha (petroleum), hydrotreated heavy	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		Irritation Positive	
Naphtha (petroleum), hydrotreated heavy	Inhalation	nervous system	Some positive data exist, but the data are not sufficient for classification		NOEL 6.5 mg/l	
Naphtha (petroleum), hydrotreated heavy	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification		NOEL 2.4 mg/l	
Naphtha (petroleum), hydrotreated heavy	Inhalation	heart	All data are negative		NOAEL 2.5 mg/l	
Naphtha (petroleum), hydrotreated heavy	Inhalation	liver kidney and/or bladder	All data are negative		NOAEL 0.610 mg/l	
Naphtha (petroleum), hydrotreated heavy	Inhalation	muscles	All data are negative		NOAEL 0.61 mg/l	
Aluminium oxide	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		Irritation Positive	
Ceramic materials and wares, chemicals	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		Irritation Positive	
Distillates (petroleum), hydrotreated middle	Inhalation	central nervous system depression respiratory	Some positive data exist, but the data are not sufficient for	Not available	NOAEL NA	

M86, Cut & Polish Creme (22-99A): M8601, M8632

		irritation	classification			
Distillates (petroleum), hydrotreated middle	Ingestion	central nervous system depression	May cause drowsiness or dizziness	Not available	NOAEL NA	
Glycerin			No data available			
Quartz	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		Irritation Positive	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Naphtha (petroleum), hydrotreated heavy	Dermal	nervous system	Some positive data exist, but the data are not sufficient for classification		LOEL 691 mg/kg	
Naphtha (petroleum), hydrotreated heavy	Inhalation	nervous system	Some positive data exist, but the data are not sufficient for classification		LOEL 4.580 mg/l	
Naphtha (petroleum), hydrotreated heavy	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification		NOEL 0.619 mg/l	
Naphtha (petroleum), hydrotreated heavy	Inhalation	endocrine system muscles	Some positive data exist, but the data are not sufficient for classification		LOEL 0.616 mg/l	
Naphtha (petroleum), hydrotreated heavy	Inhalation	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification		LOEL 0.57 mg/l	
Naphtha (petroleum), hydrotreated heavy	Inhalation	bone, teeth, nails, and/or hair blood liver	All data are negative		NOAEL 5.62 mg/l	
Naphtha (petroleum), hydrotreated heavy	Inhalation	heart	All data are negative		NOAEL 1.271 mg/l	
Naphtha (petroleum), hydrotreated heavy	Inhalation	immune system	All data are negative		NOAEL 0.616 mg/l	
Aluminium oxide	Inhalation	pneumoconiosis	May cause damage to organs though prolonged or repeated exposure		NOAEL N/A	
Aluminium oxide	Inhalation	pulmonary fibrosis	Some positive data exist, but the data are not sufficient for		NOAEL N/A	

M86, Cut & Polish Creme (22-99A): M8601, M8632

			classification			
Ceramic materials and wares, chemicals	Inhalation	pulmonary fibrosis	May cause damage to organs though prolonged or repeated exposure		NOAEL N/A	
Ceramic materials and wares, chemicals	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification		NOEL N/A	
Distillates (petroleum), hydrotreated middle			No data available			
Glycerin	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 3.91 mg/l	14 days
Glycerin	Inhalation	heart liver kidney and/or bladder	All data are negative	Rat	NOAEL 3.91 mg/l	14 days
Glycerin	Ingestion	endocrine system hematopoietic system liver kidney and/or bladder	All data are negative	Rat	NOAEL 10,000 mg/kg/day	2 years
Quartz	Inhalation	silicosis	Causes damage to organs through prolonged or repeated exposure		NOAEL N/A	

Aspiration Hazard

Name	Value
Naphtha (petroleum), hydrotreated heavy	Aspiration hazard
Aluminium oxide	Not an aspiration hazard
Ceramic materials and wares, chemicals	Not an aspiration hazard
Distillates (petroleum), hydrotreated middle	Aspiration hazard
Glycerin	Not an aspiration hazard
Quartz	Not an aspiration hazard

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

12.1. Toxicity

Acute aquatic hazard:

Not acutely toxic to aquatic life by GHS criteria.

Chronic aquatic hazard:

Not chronically toxic to aquatic life by GHS criteria.

No product test data available.

No component test data available.

12.2. Persistence and degradability

No test data available.

12.3 : Bioaccumulative potential

No test data available.

12.4. Mobility in soil

Please contact manufacturer for more details

12.5. Results of the PBT and vPvB assessment

No information available at this time, contact manufacturer for more details

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

EU waste code (product as sold)

20 01 30 Detergents other than those mentioned in 20 01 29.

SECTION 14: Transportation information

ADR: Not restricted for transport.

IMDG: Not restricted for transport.

IATA: Not restricted for transport.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Carcinogenicity

Ingredient

CAS Nbr

Classification

Regulation

Quartz

14808-60-7

Grp. 1: Carcinogenic to humans

International Agency for Research on Cancer

Global inventory status

Contact manufacturer for more information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. The components of this product are in compliance with the chemical notification requirements of TSCA.

15.2. Chemical Safety Assessment

Not applicable

SECTION 16: Other information

List of relevant H statements

EUH066	Repeated exposure may cause skin dryness or cracking.
H304	May be fatal if swallowed and enters airways.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H372	Causes damage to organs through prolonged or repeated exposure.

List of relevant R-phrases

R20	Harmful by inhalation.
R48/20	Harmful: danger of serious damage to health by prolonged exposure through inhalation.
R65	Harmful: May cause lung damage if swallowed.
R66	Repeated exposure may cause skin dryness or cracking.
R67	Vapours may cause drowsiness and dizziness.

Revision information:

Revision Changes:

Section 1: Product name was modified.

Section 8: Skin protection - recommended gloves information was modified.

Section 8: Respiratory protection - recommended respirators information was modified.

Safety phrase was modified.

Section 8: Respiratory protection - recommended respirators was modified.

Page Heading: Product name was modified.

Section 9: pH information was modified.

Section 9: Evaporation Rate information was modified.

Section 9: Viscosity information was modified.

Section 16: List of relevant R phrase information was modified.

Section 3: Composition/ Information of ingredients table was modified.

Section 9: n-octanol/water coefficient information was modified.

Section 9: Boiling point information was modified.

Section 9: Relative density information was modified.

Section 9: Solubility in water text was modified.

Section 13: EU waste code (product as sold) information was modified.

Section 16: Regulations - Inventories - EU ONLY was modified.

Copyright was modified.

Section 9: Flash point information was modified.

Section 9: Melting point information was modified.

Section 9: Flammable limits (LEL) information was modified.

Section 9: Flammable limits (UEL) information was modified.

Section 9: Vapour density value was modified.

Section 9: Density information was modified.
Section 9: Property description for optional properties was modified.
Section 8: Occupational exposure limit table was modified.
Section 8: mg/m³ key was modified.
Aspiration Hazard Table was modified.
Section 11: Acute Toxicity table was modified.
Carcinogenicity Table was modified.
Serious Eye Damage/Irritation Table was modified.
Germ Cell Mutagenicity Table was modified.
Skin Sensitisation Table was modified.
Respiratory Sensitisation Table was modified.
Reproductive Toxicity Table was modified.
Skin Corrosion/Irritation Table was modified.
Target Organs - Repeated Table was modified.
Target Organs - Single Table was modified.
Section 11: Health Effects - Eye information was modified.
Section 11: Health Effects - Skin information was modified.
Section 11: Health Effects - Inhalation information was modified.
Section 11: Health Effects - Other information was modified.
Section 5: Hazardous combustion products table was modified.
Section 5: Fire - Extinguishing media information was modified.
Section 5: Fire - Special hazards information was modified.
Section 5: Fire - Advice for fire fighters information was modified.
Section 6: Accidental release personal information was modified.
Section 6: Accidental release environmental information was modified.
Section 6: Accidental release clean-up information was modified.
Section 7: Precautions safe handling information was modified.
Section 7: Conditions safe storage was modified.
Section 8: Personal Protection - Eye information was modified.
Section 10: Hazardous decomposition or by-products table was modified.
Section 13: Standard Phrase Category Waste GHS was modified.
Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. was modified.
Remark (phrase) was added.
Section 8: Respiratory protection - recommended respirators guide was added.
Section 15: Carcinogenicity heading was added.
Section 15: Carcinogenicity information was added.
Section 15: Carcinogenicity table Regulation column heading was added.
Section 15: Carcinogenicity table Ingredient column heading was added.
Section 15: Carcinogenicity table CAS No column heading was added.
Section 15: Carcinogenicity table Classification column heading was added.
Section 12: Acute aquatic hazard information was added.
Section 12: Chronic aquatic hazard heading was added.
Section 12: Acute aquatic hazard heading was added.
Section 12: Chronic aquatic hazard information was added.
Section 2: Special provisions concerning the labelling of certain substances heading was added.
Section 2: Additional label requirements phrase was added.
Section 8: Personal Protection - Respiratory Information was added.
Section 9: Autoignition temperature information was added.
Section 11: Carcinogenicity heading was deleted.
Section 11: UN GHS Classification table heading was deleted.
Section 11: Cancer Hazards information was deleted.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the

product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

Meguiar's, Inc. United Kingdom MSDSs are available at www.meguiars.co.uk