



## Safety Data Sheet

Copyright, 2013, Meguiar's, Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising Meguiar's, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

<b>Document group:</b>	30-0933-9	<b>Version number:</b>	2.00
<b>Revision date:</b>	13/09/2013	<b>Supersedes date:</b>	19/04/2012
<b>Transportation version number:</b>	1.00 (19/04/2012)		

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

C2100, Mirror Glaze Professional Detailing Clay (Aggressive)

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Identified uses

Automotive.

#### 1.3. Details of the supplier of the substance or mixture

**Address:** Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UF  
**Telephone:** +44 (0)870 241 6696  
**E Mail:** info@meguiars.co.uk  
**Website:** www.meguiars.co.uk

#### 1.4. Emergency telephone number

+44 (0)870 241 6696

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

##### Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive

This product is not classified as hazardous according to EU Directive 1999/45/EC.

#### 2.2. Label elements

##### Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive

##### Symbol(s)

None.

## C2100, Mirror Glaze Professional Detailing Clay (Aggressive)

### Contains:

No ingredients are assigned to the label.

**Risk phrases** None.

**Safety phrases** None.

### 2.3. Other hazards

None known.

## SECTION 3: Composition/information on ingredients

Ingredient	CAS Nbr	EU Inventory	% by Wt	Classification
Calcium Carbonate	471-34-1	EINECS 207-439-9	40 - 60	
Butene, homopolymer (products derived from either/or But-1-ene/But-2-ene)	9003-29-6	NLP 500-004-7	20 - 40	
Silicon dioxide	7631-86-9	EINECS 231-545-4	10 - 30	
Talc	14807-96-6	EINECS 238-877-9	10 - 30	
Pigments	Trade Secret		< 5	

Please see section 16 for the full text of any R phrases and H statements referred to in this section

Please refer to section 15 for the any applicable Notas that have been applied to the above components

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Inhalation

No need for first aid is anticipated.

#### Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

#### Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

#### If swallowed

Rinse mouth. If you feel unwell, get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

## SECTION 5: Fire-fighting measures

### 5.1. Extinguishing media

## C2100, Mirror Glaze Professional Detailing Clay (Aggressive)

Material will not burn. Use a fire fighting agent suitable for the surrounding fire.

### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

### Hazardous Decomposition or By-Products

#### Substance

Carbon monoxide.  
Carbon dioxide.

#### Condition

During combustion.  
During combustion.

### 5.3. Advice for fire-fighters

No unusual fire or explosion hazards are anticipated.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Observe precautions from other sections.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible.

### 6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Avoid eye contact. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

### 7.2. Conditions for safe storage including any incompatibilities

Keep cool. Store in a dry place.

### 7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
Talc	14807-96-6	Health and Safety Comm. (UK)	TWA(as respirable dust):1 mg/m <sup>3</sup>	
Limestone	471-34-1	Health and Safety Comm. (UK)	TWA(as inhalable dust):10 mg/m <sup>3</sup> ;TWA(as respirable dust):4 mg/m <sup>3</sup> ;TWA(Inhalable):10	

## C2100, Mirror Glaze Professional Detailing Clay (Aggressive)

Silica, amorphous	7631-86-9	Health and Safety Comm. (UK)	mg/m <sup>3</sup> ;TWA(respirable):4 mg/m <sup>3</sup> TWA(as inhalable dust):6 mg/m <sup>3</sup> ;TWA(as respirable dust):2.4 mg/m <sup>3</sup>
Pigments	Trade Secret	Health and Safety Comm. (UK)	TWA(as Fe, fume):5 mg/m <sup>3</sup> ;TWA(Inhalable):10 mg/m <sup>3</sup> ;TWA(respirable):4 mg/m <sup>3</sup> ;STEL(as Fe, fume):10 mg/m <sup>3</sup>
SUPERFINE IRON OXIDE	Trade Secret	Health and Safety Comm. (UK)	TWA(as Fe, fume):5 mg/m <sup>3</sup> ;TWA(Inhalable):10 mg/m <sup>3</sup> ;TWA(respirable):4 mg/m <sup>3</sup> ;STEL(as Fe, fume):10 mg/m <sup>3</sup>

Health and Safety Comm. (UK) : UK Health and Safety Commission  
TWA: Time-Weighted-Average  
STEL: Short Term Exposure Limit  
ppm: parts per million  
mg/m<sup>3</sup>: milligrams per cubic metre  
CELL: Ceiling

### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Not applicable.

#### 8.2.2. Personal protective equipment (PPE)

##### Eye/face protection

The following eye protection(s) are recommended: Safety glasses with side shields.

##### Skin/hand protection

Wear protective gloves.

Select and use gloves and/or protective clothing to prevent skin contact based on the results of an exposure assessment. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible materials. Gloves made from the following material(s) are recommended: Nitrile rubber.

##### Respiratory protection

Respiratory protection is not required.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Solid.
Specific Physical Form:	Clay
Appearance/Odour	Red; typical odour
Odour threshold	No data available.
pH	No data available.
Boiling point/boiling range	No data available.
Melting point	No data available.
Flammability (solid, gas)	Not classified
Explosive properties	Not classified
Oxidising properties	Not classified

## C2100, Mirror Glaze Professional Detailing Clay (Aggressive)

<b>Flash point</b>	No flash point
<b>Autoignition temperature</b>	<i>No data available.</i>
<b>Flammable Limits(LEL)</b>	<i>No data available.</i>
<b>Flammable Limits(UEL)</b>	<i>No data available.</i>
<b>Vapour pressure</b>	<i>No data available.</i>
<b>Relative density</b>	2 [ <i>Ref Std: WATER=1</i> ]
<b>Water solubility</b>	Nil
<b>Solubility- non-water</b>	<i>No data available.</i>
<b>Partition coefficient: n-octanol/water</b>	<i>No data available.</i>
<b>Evaporation rate</b>	<i>No data available.</i>
<b>Vapour density</b>	<i>No data available.</i>
<b>Decomposition temperature</b>	<i>No data available.</i>
<b>Viscosity</b>	<i>No data available.</i>
<b>Density</b>	2 g/ml

### 9.2. Other information

<b>Volatile organic compounds (VOC)</b>	0 %
---	-----

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is considered to be non reactive under normal use conditions

### 10.2 Chemical stability

Stable.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

### 10.4 Conditions to avoid

None known.

### 10.5 Incompatible materials

None known.

### 10.6 Hazardous decomposition products

<u>Substance</u>	<u>Condition</u>
------------------	------------------

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

## SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

**C2100, Mirror Glaze Professional Detailing Clay (Aggressive)****11.1 Information on Toxicological effects****Signs and Symptoms of Exposure**

**Based on test data and/or information on the components, this material may produce the following health effects:**

**Inhalation**

No health effects are expected.

**Skin contact**

Prolonged or repeated exposure may cause:

Dermal Defatting: Signs/symptoms may include localised redness, itching, drying and cracking of skin.

**Eye contact**

Contact with the eyes during product use is not expected to result in significant irritation.

**Ingestion**

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

**Toxicological Data****Acute Toxicity**

Name	Route	Species	Value
Overall product	Ingestion		Data not available or insufficient for classification; calculated ATE >5,000 mg/kg
Calcium Carbonate	Dermal	Rat	LD50 > 2,000 mg/kg
Calcium Carbonate	Inhalation-Dust/Mist (4 hours)	Rat	LC50 3.0 mg/l
Calcium Carbonate	Ingestion	Rat	LD50 6,450 mg/kg
Butene, homopolymer (products derived from either/or But-1-ene/But-2-ene)	Dermal	Rat	LD50 > 10,250 mg/kg
Butene, homopolymer (products derived from either/or But-1-ene/But-2-ene)	Ingestion	Rat	LD50 > 34,600 mg/kg
Talc	Ingestion		LD50 Not available
Silicon dioxide	Dermal	Rabbit	LD50 > 5,000 mg/kg
Silicon dioxide	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 0.691 mg/l
Silicon dioxide	Ingestion	Rat	LD50 > 5,110 mg/kg
Pigments	Dermal	Not available	LD50 3,100 mg/kg
Pigments	Ingestion	Not available	LD50 3,700 mg/kg

ATE = acute toxicity estimate

**Skin Corrosion/Irritation**

Name	Species	Value
Calcium Carbonate	Rabbit	No significant irritation
Butene, homopolymer (products derived from either/or But-1-ene/But-2-ene)	Rabbit	Minimal irritation
Silicon dioxide	Rabbit	No significant irritation
Talc	Rabbit	No significant irritation
Pigments	Rabbit	No significant irritation

**Serious Eye Damage/Irritation**

Name	Species	Value
Calcium Carbonate	Rabbit	No significant irritation

**C2100, Mirror Glaze Professional Detailing Clay (Aggressive)**

Butene, homopolymer (products derived from either/or But-1-ene/But-2-ene)	Rabbit	Mild irritant
Silicon dioxide	Rabbit	No significant irritation
Talc	Rabbit	No significant irritation
Pigments	Rabbit	No significant irritation

**Skin Sensitisation**

Name	Species	Value
Calcium Carbonate		Data not available or insufficient for classification
Butene, homopolymer (products derived from either/or But-1-ene/But-2-ene)		Data not available or insufficient for classification
Silicon dioxide	Human and animal	Not sensitizing
Talc		Data not available or insufficient for classification
Pigments	Human	Some positive data exist, but the data are not sufficient for classification

**Respiratory Sensitisation**

Name	Species	Value
Calcium Carbonate		Data not available or insufficient for classification
Butene, homopolymer (products derived from either/or But-1-ene/But-2-ene)		Data not available or insufficient for classification
Silicon dioxide		Data not available or insufficient for classification
Talc	Human	Not sensitizing
Pigments		Data not available or insufficient for classification

**Germ Cell Mutagenicity**

Name	Route	Value
Calcium Carbonate		Data not available or insufficient for classification
Butene, homopolymer (products derived from either/or But-1-ene/But-2-ene)		Data not available or insufficient for classification
Silicon dioxide	In Vitro	Not mutagenic
Talc	In Vitro	Not mutagenic
Talc	In vivo	Not mutagenic
Pigments	In Vitro	Not mutagenic

**Carcinogenicity**

Name	Route	Species	Value
Calcium Carbonate			Data not available or insufficient for classification
Butene, homopolymer (products derived from either/or But-1-ene/But-2-ene)			Data not available or insufficient for classification
Silicon dioxide	Not specified.	Mouse	Some positive data exist, but the data are not sufficient for classification
Talc	Inhalation	Rat	Some positive data exist, but the data are not sufficient for classification
Pigments	Inhalation	Human	Some positive data exist, but the data are not sufficient for classification

**Reproductive Toxicity****Reproductive and/or Developmental Effects**

Name	Route	Value	Species	Test result	Exposure Duration
------	-------	-------	---------	-------------	-------------------

**C2100, Mirror Glaze Professional Detailing Clay (Aggressive)**

Calcium Carbonate	Ingestion	Not toxic to development	Rat	NOAEL 625 mg/kg/day	prematuring & during gestation
Butene, homopolymer (products derived from either/or But-1-ene/But-2-ene)		Data not available or insufficient for classification			
Silicon dioxide	Ingestion	Not toxic to female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation
Silicon dioxide	Ingestion	Not toxic to male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation
Silicon dioxide	Ingestion	Not toxic to development	Rat	NOAEL 1,350 mg/kg/day	during organogenesis
Talc	Ingestion	Not toxic to development	Rat	NOAEL 1,600 mg/kg	during organogenesis
Pigments		Data not available or insufficient for classification			

**Target Organ(s)****Specific Target Organ Toxicity - single exposure**

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Calcium Carbonate	Inhalation	respiratory system	All data are negative	Rat	NOAEL 0.812 mg/l	90 minutes
Silicon dioxide			Data not available or insufficient for classification			
Talc			Data not available or insufficient for classification			
Pigments			Data not available or insufficient for classification			

**Specific Target Organ Toxicity - repeated exposure**

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Calcium Carbonate	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification	Human	NOAEL Not available	occupational exposure
Butene, homopolymer (products derived from either/or But-1-ene/But-2-ene)	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 0.07 mg/l	2 weeks
Butene, homopolymer (products derived from either/or But-1-ene/But-2-ene)	Inhalation	liver	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 0.7 mg/l	2 weeks
Talc	Inhalation	pneumoconiosis	Causes damage to	Human	NOAEL Not	occupational



**C2100, Mirror Glaze Professional Detailing Clay (Aggressive)**

			organs through prolonged or repeated exposure		available	exposure
Talc	Inhalation	pulmonary fibrosis   respiratory system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 18 mg/m3	113 weeks
Silicon dioxide	Inhalation	respiratory system   silicosis	All data are negative	Human	NOAEL Not available	occupational exposure
Pigments	Inhalation	pulmonary fibrosis   pneumoconiosis	Some positive data exist, but the data are not sufficient for classification	Human	NOAEL Not available	occupational exposure

**Aspiration Hazard**

Name	Value
Calcium Carbonate	Not an aspiration hazard
Butene, homopolymer (products derived from either/or But-1-ene/But-2-ene)	Not an aspiration hazard
Silicon dioxide	Not an aspiration hazard
Talc	Not an aspiration hazard
Pigments	Not an aspiration hazard

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

**SECTION 12: Ecological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

**12.1. Toxicity**

No product test data available.

Material	CAS Nbr	Organism	Type	Exposure	Test endpoint	Test result
Silicon dioxide	7631-86-9		Data not available or insufficient for classification			
Calcium Carbonate	471-34-1	Western Mosquitofish	Experimental	96 hours	LC50	>100 mg/l
Calcium Carbonate	471-34-1	Rainbow trout	Experimental	21 days	NOEC	>100 mg/l
Pigments	Trade Secret	Fish other	Laboratory	48 hours	LC50	>1,000 mg/l
Talc	14807-96-6		Data not available or insufficient for classification			
Butene, homopolymer (products)	9003-29-6		Data not available or insufficient for			

**C2100, Mirror Glaze Professional Detailing Clay (Aggressive)**

derived from either/or But-1-ene/But-2-ene)			classification			
---	--	--	----------------	--	--	--

**12.2. Persistence and degradability**

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Silicon dioxide	7631-86-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Calcium Carbonate	471-34-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Pigments	Trade Secret	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Talc	14807-96-6	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Butene, homopolymer (products derived from either/or But-1-ene/But-2-ene)	9003-29-6	Estimated Biodegradation	28 days	CO2 evolution	<6.5 % weight	OECD 301B - Modified sturm or CO2

**12.3 : Bioaccumulative potential**

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Silicon dioxide	7631-86-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Calcium Carbonate	471-34-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Pigments	Trade Secret	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Talc	14807-96-6	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Butene, homopolymer (products derived from either/or But-1-ene/But-2-ene)	9003-29-6	Estimated Bioconcentration		Bioaccumulation factor	<83	Estimated: Bioconcentration factor

## C2100, Mirror Glaze Professional Detailing Clay (Aggressive)

### 12.4. Mobility in soil

Please contact manufacturer for more details

### 12.5. Results of the PBT and vPvB assessment

No information available at this time, contact manufacturer for more details

### 12.6. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations

This product has been classified as a non-hazardous waste. Prior to disposal, consult all applicable authorities and regulations to insure proper classification. Dispose of waste product in a permitted industrial waste facility. If no other disposal options are available, waste product may be placed in a landfill properly designed for industrial waste.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

### EU waste code (product as sold)

120199 Wastes not otherwise specified

## SECTION 14: Transportation information

ADR/IMDG/IATA: Not restricted for transport.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Carcinogenicity

##### Ingredient

Pigments

##### CAS Nbr

Trade Secret

##### Classification

Gr. 3: Not classifiable

##### Regulation

International Agency  
for Research on Cancer

Silicon dioxide

7631-86-9

Gr. 3: Not classifiable

International Agency  
for Research on Cancer

Talc

14807-96-6

Gr. 3: Not classifiable

International Agency  
for Research on Cancer

#### Global inventory status

Contact manufacturer for more information The components of this product are in compliance with the chemical notification requirements of TSCA.

### 15.2. Chemical Safety Assessment

Not applicable

## SECTION 16: Other information

**Revision information:**

Revision Changes:

Section 15: Carcinogenicity information information was modified.  
Section 3: Composition/ Information of ingredients table information was modified.  
Copyright information was modified.  
Section 1: Initial issue message information was modified.  
Section 8: Occupational exposure limit table information was modified.  
Aspiration Hazard Table information was modified.  
Section 11: Acute Toxicity table information was modified.  
Carcinogenicity Table information was modified.  
Serious Eye Damage/Irritation Table information was modified.  
Germ Cell Mutagenicity Table information was modified.  
Skin Sensitisation Table information was modified.  
Respiratory Sensitisation Table information was modified.  
Reproductive Toxicity Table information was modified.  
Skin Corrosion/Irritation Table information was modified.  
Target Organs - Repeated Table information was modified.  
Target Organs - Single Table information was modified.  
Section 5: Fire - Extinguishing media information information was modified.  
Section 6: Accidental release personal information information was modified.  
Section 6: Accidental release clean-up information information was modified.  
Section 13: Standard Phrase Category Waste GHS information was modified.  
Section 4: First aid for eye contact information information was modified.  
Section 8: Skin protection - protective clothing text information was added.  
Section 12: Component ecotoxicity information information was added.  
Section 12: Persistence and Degradability information information was added.  
Section 12:Biocumulative potential information information was added.  
Section 12: Component Ecotoxicity table Material column header information was added.  
Section 12: Component Ecotoxicity table CAS No column header information was added.  
Section 12: Component Ecotoxicity table Organism column header information was added.  
Section 12: Component Ecotoxicity table Type column header information was added.  
Section 12: Component Ecotoxicity table Exposure column header information was added.  
Section 12: Component Ecotoxicity table End point column header information was added.  
Section 12: Component Ecotoxicity table Result column header information was added.  
Section 12: Persistence and degradability table Material column header information was added.  
Section 12: Persistence and degradability table CAS No column header information was added.  
Section 12: Persistence and degradability table Test Type column header information was added.  
Section 12: Persistence and degradability table Duration column header information was added.  
Section 12: Persistence and degradability table Test Result column header information was added.  
Section 12: Persistence and degradability table Protocol column header information was added.  
Section 12:Biocumulative potential table Material column header information was added.  
Section 12:Biocumulative potential table CAS No column header information was added.  
Section 12:Biocumulative potential table CAS No column header information was added.  
Section 12:Biocumulative potential table Test Result column header information was added.  
Section 12:Biocumulative potential table Protocol column header information was added.  
Section 12:Biocumulative potential table Test Type column header information was added.  
Section 12: Persistence and degradability table Study Type column header information was added.  
Section 12:Biocumulative potential table Test Type column header information was added.  
Section 9: Odour Threshold information was added.  
Section 9: Solubility (non-water) information was added.  
Section 09: Decomposition Temperature information was added.  
Section 10: Hazardous decomposition products during combustion text information was added.  
Label: Graphic information was added.  
Section 02: Graphic information information was added.  
Section 9: Flammability (solid, gas) information information was added.  
Section 9: Solubility in water value information was deleted.

Section 2: Symbols heading information was deleted.

Section 15: Symbol information information was deleted.

Section 12: Acute aquatic hazard information information was deleted.

Section 12: Chronic aquatic hazard heading information was deleted.

Section 12: Acute aquatic hazard heading information was deleted.

Section 12: Chronic aquatic hazard information information was deleted.

Prints No Data if Component ecotoxicity information is not present information was deleted.

Prints No Data if Persistence and Degradability information is not present information was deleted.

Prints No Data if Bioaccumulative potential information is not present information was deleted.

Section 8: Personal Protection - Eye information information was deleted.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

**Meguiar's, Inc. United Kingdom MSDSs are available at [www.meguiars.co.uk](http://www.meguiars.co.uk)**