

Safety Data Sheet

Copyright, 2015, Meguiar's, Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising Meguiar's, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

This product is defined as an article under REACH and does not require a Safety Data Sheet under Article 31 of Regulation (EC) No. 1907/2006. Since an SDS is not required, this document does not contain all of the information that is required for substance and mixture SDSs under REACH.

 Document group:
 30-0926-3
 Version number:
 4.00

 Revision date:
 18/06/2015
 Supersedes date:
 13/11/2014

Transportation version number: 1.00 (19/04/2012)

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

C2000, Mirror Glaze Professional Detailing Clay (Mild)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Automotive.

1.3. Details of the supplier of the safety data sheet

Address: Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UF

Telephone: +44 (0)870 241 6696 E Mail: info@meguiars.co.uk Website: www.meguiars.co.uk

1.4. Emergency telephone number

+44 (0)870 241 6696

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

CLASSIFICATION:

This material is not classified as hazardous according to Regulation (EC) No. 1272/2008, as amended, on classification, labelling, and packaging of substances and mixtures.

2.2. Label elements

CLP REGULATION (EC) No 1272/2008

Not applicable

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

Ingredient	CAS Nbr	EU Inventory	% by Wt	Classification
NUC - Calcium Carbonate	471-34-1	EINECS 207-	40 - 60	
		439-9		
Butene, homopolymer (products derived	9003-29-6	NLP 500-004-	20 - 40	
from either/or But-1-ene/But-2-ene)		7		
Silicon dioxide	7631-86-9	EINECS 231-	10 - 30	
		545-4		
Talc	14807-96-6	EINECS 238-	10 - 30	
		877-9		
Pigments	Trade Secret		< 5	
Carbon black	1333-86-4	EINECS 215-	0 - 5	
		609-9		

Please see section 16 for the full text of any H statements referred to in this section

Please refer to section 15 for any applicable Notas that have been applied to the above components

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

Eve contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Material will not burn.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance

Carbon monoxide. Carbon dioxide.

Condition

During combustion.

During combustion.

5.3. Advice for fire-fighters

No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate the area with fresh air. Observe precautions from other sections.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid eye contact. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

7.2. Conditions for safe storage including any incompatibilities

Keep cool. Store in a dry place.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient CAS Nbr Agency Limit type Additional comments

Carbon black 1333-86-4 UK HSC TWA: 3.5 mg/m³; STEL: 7

 mg/m^3

Talc 14807-96-6 UK HSC TWA(as respirable dust):1

mg/m³

UK HSC: UK Health and Safety Commission

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

Page: 3 of 12

8.2. Exposure controls

8.2.1. Engineering controls

Not applicable.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing.

Gloves made from the following material(s) are recommended:

Thickness (mm) **Breakthrough Time** Material No data available Nitrile rubber. No data available

Respiratory protection

None required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Solid. Physical state **Specific Physical Form:** Clav Appearance/Odour Blue; typical odour

No data available. **Odour threshold** No data available. pН No data available. Boiling point/boiling range Melting point No data available. Flammability (solid, gas) Not classified **Explosive properties** Not classified **Oxidising properties** Not classified No flash point Flash point No data available. Autoignition temperature No data available. Flammable Limits(LEL) Flammable Limits(UEL) No data available. No data available. Vapour pressure Relative density 2 [Ref Std:WATER=1]

Water solubility Nil

Solubility- non-water No data available. Partition coefficient: n-octanol/water No data available. **Evaporation rate** No data available. No data available. Vapour density No data available. **Decomposition temperature** Viscosity No data available.

Density 2 g/ml

Page: 4 of 12

9.2. Other information

Volatile organic compounds (VOC)

0 % weight

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is considered to be non reactive under normal use conditions

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

None known.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

Substance

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

No known health effects.

Skin contact

Mechanical skin irritation: Signs/symptoms may include abrasion, redness, pain, and itching.

Prolonged or repeated exposure may cause:

Dermal Defatting: Signs/symptoms may include localised redness, itching, drying and cracking of skin.

Eye contact

Mechanical eye irritation: Signs/symptoms may include pain, redness, tearing and corneal abrasion.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

Page 5 of

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
NUC - Calcium Carbonate	Dermal	Rat	LD50 > 2,000 mg/kg
NUC - Calcium Carbonate	Inhalation-	Rat	LC50 3.0 mg/l
	Dust/Mist		
	(4 hours)		
NUC - Calcium Carbonate	Ingestion	Rat	LD50 6,450 mg/kg
Butene, homopolymer (products derived from either/or But-1-	Dermal	Rat	LD50 > 10,250 mg/kg
ene/But-2-ene)			
Butene, homopolymer (products derived from either/or But-1-	Ingestion	Rat	LD50 > 34,600 mg/kg
ene/But-2-ene)			
Talc	Dermal		LD50 estimated to be > 5,000 mg/kg
Talc	Ingestion		LD50 estimated to be > 5,000 mg/kg
Silicon dioxide	Dermal	Rabbit	LD50 > 5,000 mg/kg
Silicon dioxide	Inhalation-	Rat	LC50 > 0.691 mg/l
	Dust/Mist		
	(4 hours)		
Silicon dioxide	Ingestion	Rat	LD50 > 5,110 mg/kg
Carbon black	Dermal	Rabbit	LD50 > 3,000 mg/kg
Carbon black	Ingestion	Rat	LD50 > 8,000 mg/kg
Pigments	Ingestion	Rat	LD50 10,000 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
NUC - Calcium Carbonate	Rabbit	No significant irritation
Butene, homopolymer (products derived from either/or But-1-ene/But-2-ene)	Rabbit	Minimal irritation
Silicon dioxide	Rabbit	No significant irritation
Talc	Rabbit	No significant irritation
Carbon black	Rabbit	No significant irritation
Pigments	Rabbit	No significant irritation

Serious Eye Damage/Irritation

Name		Value
NUC - Calcium Carbonate	Rabbit	No significant irritation
Butene, homopolymer (products derived from either/or But-1-ene/But-2-ene)	Rabbit	Mild irritant
Silicon dioxide	Rabbit	No significant irritation
Talc	Rabbit	No significant irritation
Carbon black	Rabbit	No significant irritation
Pigments	Rabbit	No significant irritation

Skin Sensitisation

Name	Species	Value
Silicon dioxide	Human and animal	Not sensitising
Pigments	Human	Not sensitising

Respiratory Sensitisation

Name	Species	Value
Talc	Human	Not sensitising

Germ Cell Mutagenicity

Name	Route	Value

Silicon dioxide	In Vitro	Not mutagenic
Talc	In Vitro	Not mutagenic
Talc	In vivo	Not mutagenic
Carbon black	In Vitro	Not mutagenic
Carbon black	In vivo	Some positive data exist, but the data are not
		sufficient for classification
Pigments	In Vitro	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
Silicon dioxide	Not	Mouse	Some positive data exist, but the data are not
	specified.		sufficient for classification
Talc	Inhalation	Rat	Some positive data exist, but the data are not sufficient for classification
Carbon black	Dermal	Mouse	Not carcinogenic
Carbon black	Ingestion	Mouse	Not carcinogenic
Carbon black	Inhalation	Rat	Carcinogenic.
Pigments	Ingestion	Mouse	Not carcinogenic

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
NUC - Calcium Carbonate	Ingestion	Not toxic to development	Rat	NOAEL 625 mg/kg/day	premating & during gestation
Silicon dioxide	Ingestion	Not toxic to female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation
Silicon dioxide	Ingestion	Not toxic to male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation
Silicon dioxide	Ingestion	Not toxic to development	Rat	NOAEL 1,350 mg/kg/day	during organogenesis
Talc	Ingestion	Not toxic to development	Rat	NOAEL 1,600 mg/kg	during organogenesis
Pigments	Ingestion	Not toxic to female reproduction	Rat	NOAEL 1,000 mg/kg/day	premating & during gestation
Pigments	Ingestion	Not toxic to male reproduction	Rat	NOAEL 1,000 mg/kg/day	42 days
Pigments	Ingestion	Not toxic to development	Rat	NOAEL 1,000 mg/kg/day	premating & during gestation

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
NUC - Calcium Carbonate	Inhalation	respiratory system	All data are negative	Rat	NOAEL 0.812 mg/l	90 minutes

Specific Target Organ Toxicity - repeated exposure

1 8	specific Target Organi Toxicity - Tepeateu exposure							
Name	Route	Target Organ(s)	Value	Species	Test result	Exposure		
				-		Duration		
NUC - Calcium Carbonate	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification	Human	NOAEL Not available	occupational exposure		
Butene, homopolymer (products derived from either/or But-1-ene/But-2- ene)	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 0.07 mg/l	2 weeks		
Butene, homopolymer	Inhalation	liver	Some positive data exist, but the	Rat	NOAEL 0.7	2 weeks		

(products derived from either/or But-1-ene/But-2- ene)			data are not sufficient for classification		mg/l	
Silicon dioxide	Inhalation	respiratory system silicosis	All data are negative	Human	NOAEL Not available	occupational exposure
Talc	Inhalation	pneumoconiosis	Causes damage to organs through prolonged or repeated exposure	Human	NOAEL Not available	occupational exposure
Talc	Inhalation	pulmonary fibrosis respiratory system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 18 mg/m3	113 weeks
Carbon black	Inhalation	pneumoconiosis	Some positive data exist, but the data are not sufficient for classification	Human	NOAEL Not available	occupational exposure
Pigments	Ingestion	endocrine system hematopoietic system respiratory system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 1,000 mg/kg/day	28 days
Pigments	Ingestion	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Multiple animal species	NOAEL Not available	not available

Aspiration Hazard

For the component/components, either no data is currently available or the data is not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

Material	CAS Nbr	Organism	Type	Exposure	Test endpoint	Test result
Silicon dioxide	7631-86-9		Data not			
			available or			
			insufficient for			
			classification			
Butene,	9003-29-6		Data not			
homopolymer			available or			
(products			insufficient for			
derived from			classification			
either/or But-1-						
ene/But-2-ene)						
Pigments	Trade Secret		Data not			
			available or			
			insufficient for			
			classification			
Carbon black	1333-86-4		Data not			
			available or			
			insufficient for			
			classification			
NUC -	471-34-1	Western	Experimental	96 hours	LC50	>100 mg/l
Calcium		Mosquitofish				

Carbonate						
NUC -	471-34-1	Rainbow trout	Experimental	21 days	NOEC	>100 mg/l
Calcium						
Carbonate						
Talc	14807-96-6		Data not			
			available or			
			insufficient for			
			classification			

12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Silicon dioxide	7631-86-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Butene, homopolymer (products derived from either/or But-1- ene/But-2-ene)	9003-29-6	Estimated Biodegradation	28 days	CO2 evolution	<6.5 % weight	OECD 301B - Modified sturm or CO2
Pigments	Trade Secret	Experimental Biodegradation	28 days	BOD	<1 % weight	Other methods
Carbon black	1333-86-4	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
NUC - Calcium Carbonate	471-34-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Talc	14807-96-6	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

12.3 : Bioaccumulative potential

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Silicon dioxide	7631-86-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Butene, homopolymer (products derived from either/or But-1- ene/But-2-ene)	9003-29-6	Estimated Bioconcentrati on		Bioaccumulati on factor	<83	Estimated: Bioconcentration factor
Pigments	Trade Secret	Experimental BCF-Carp	42 days	Bioaccumulati on factor	<11	OECD 305E - Bioaccumulation flow- through fish test
Carbon black	1333-86-4	Data not available or	N/A	N/A	N/A	N/A

Page: 9 of 12

		insufficient for classification				
NUC - Calcium Carbonate	471-34-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Talc	14807-96-6	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

12.4. Mobility in soil

Please contact manufacturer for more details

12.5. Results of the PBT and vPvB assessment

No information available at this time, contact manufacturer for more details

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

See Section 11.1 Information on toxicological effects

This product has been classified as a non-hazardous waste. Prior to disposal, consult all applicable authorities and regulations to insure proper classification. Dispose of waste product in a permitted industrial waste facility. If no other disposal options are available, waste product may be placed in a landfill properly designed for industrial waste. Empty and clean product containers may be disposed as non-hazardous waste. Consult your specific regulations and service providers to determine available options and requirements.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC -2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

EU waste code (product as sold)

120199 Wastes not otherwise specified

SECTION 14: Transportation information

ADR/IMDG/IATA: Not restricted for transport.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Carcinogenicity

<u>Ingredient</u>	CAS Nbr	<u>Classification</u>	Regulation
Carbon black	1333-86-4	Grp. 2B: Possible human	International Agency
		carc.	for Research on Cancer
Silicon dioxide	7631-86-9	Gr. 3: Not classifiable	International Agency
			for Research on Cancer

Global inventory status

Contact manufacturer for more information The components of this product are in compliance with the chemical notification requirements of TSCA.

15.2. Chemical Safety Assessment

Not applicable

SECTION 16: Other information

Revision information:

Revision Changes:

Section 01: 1.3. Details of the supplier of the safety data sheet heading information was modified.

Section 15: Carcinogenicity information information was modified.

Section 3: Composition/Information of ingredients table information was modified.

Section 12: Component ecotoxicity information information was modified.

Section 12: Persistence and Degradability information information was modified.

Section 12:Bioccumulative potential information information was modified.

Copyright information was modified.

Section 8: Occupational exposure limit table information was modified.

Section 3: Reference to section 15 for Nota info information was modified.

Section 11: Acute Toxicity table information was modified.

Section 11: Carcinogenicity Table information was modified.

Section 11: Serious Eye Damage/Irritation Table information was modified.

Section 11: Germ Cell Mutagenicity Table information was modified.

Section 11: Skin Sensitization Table information was modified.

Section 11: Respiratory Sensitization Table information was modified.

Section 11: Reproductive Toxicity Table information was modified.

Section 11: Skin Corrosion/Irritation Table information was modified.

Section 11: Target Organs - Repeated Table information was modified.

Section 11: Target Organs - Single Table information was modified.

Section 11: Health Effects - Inhalation information information was modified.

Section 11: Aspiration Hazard text information was added.

Section 11: Respiratory Sensitization table - Name heading information was added.

Section 11: Respiratory Sensitization table - Species heading information was added.

Section 11: Respiratory Sensitization table - Value heading information was added.

Section 11: Skin Sensitization table - Name heading information was added.

Section 11: Skin Sensitization table - Species heading information was added.

Section 11: Skin Sensitization table - Value heading information was added.

Section 11: Serious Eye Damage/Irritation table - Name heading information was added.

Section 11: Serious Eye Damage/Irritation table - Species heading information was added.

Section 11: Serious Eye Damage/Irritation table - Value heading information was added.

Section 11: Skin Corrosion/Irritation table - Name heading information was added.

Section 11: Skin Corrosion/Irritation table - Species heading information was added.

Section 11: Skin Corrosion/Irritation table - Value heading information was added. Section 11: Germ Cell Mutagenicity table - Name heading information was added.

Section 11: Germ Cell Mutagenicity table - Route heading information was added.

Section 11. Germ Cen Mutagementy table - Route heading information was added.

Section 11: Germ Cell Mutagenicity table - Value heading information was added.

Section 11: Specific Target Organ Toxicity - repeated exposure table - Name heading information was added.

Section 11: Specific Target Organ Toxicity - repeated exposure table - Route heading information was added.

Section 11: Specific Target Organ Toxicity - repeated exposure table - Target Organ(s) heading information was added.

Section 11: Specific Target Organ Toxicity - repeated exposure table - Value heading information was added. Section 11: Specific Target Organ Toxicity - repeated exposure table - Species heading information was added.

Section 11: Specific Target Organ Toxicity - repeated exposure table - Test Result heading information was added.

Section 11: Specific Target Organ Toxicity - repeated exposure table - Exposure Duration heading information was added.

Page: 11 of 12

- Section 11: Specific Target Organ Toxicity single exposure table Name heading information was added.
- Section 11: Specific Target Organ Toxicity single exposure table Route heading information was added.
- Section 11: Specific Target Organ Toxicity single exposure table Target Organ(s) heading information was added.
- Section 11: Specific Target Organ Toxicity single exposure table Value heading information was added.
- Section 11: Specific Target Organ Toxicity single exposure table Species heading information was added.
- Section 11: Specific Target Organ Toxicity single exposure table Test Result heading information was added.

 Section 11: Specific Target Organ Toxicity single exposure table Exposure Duration heading information was added.
- Section 11: Reproductive and/or Developmental Effects table Name heading information was added.
- Section 11: Reproductive and/or Developmental Effects table Route heading information was added.
- Section 11: Reproductive and/or Developmental Effects table Value heading information was added.
- Section 11: Reproductive and/or Developmental Effects table Species heading information was added.
- Section 11: Reproductive and/or Developmental Effects table Test Result heading information was added.
- Section 11: Reproductive and/or Developmental Effects text information was added.
- Section 11: Carcinogenicity table Name heading information was added.
- Section 11: Carcinogenicity table Route heading information was added.
- Section 11: Carcinogenicity table Species heading information was added.
- Section 11: Carcinogenicity table Value heading information was added.
- Section 8: glove data Material heading information was added.
- Section 8: glove data Thickness heading information was added.
- Section 8: glove data Breakthrough Time heading information was added.
- Section 8: glove data value information was added.
- Section 03: Reference to H statement explanation in Section 016 information was added.
- Section 8: Skin protection recommended gloves information information was deleted.
- Section 11: Exposure Duration table heading information was deleted.
- Section 11: Test Result table heading information was deleted.
- Section 3: Reference to R and H statement explanation in Section 16 information was deleted.
- Section 2: 2.2 & 2.3. DSD/DPD heading information was deleted.
- Section 2.1: Classification information information was deleted.
- Section 02: EU DPD 'Not applicable' text information was deleted.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

Meguiar's, Inc. United Kingdom MSDSs are available at www.meguiars.co.uk